A synergist formulation designed for use as a space or contact spray Ideal for use in homes, offices, schools, hotels and retail establishments. DO NOT USE IN FOOD PROCESSING PLANTS.

## **INSTRUCTIONS**

To kill flies, mosquitoes, gnats Spratoward ceiling and center of room for five-seconds. Close doors and windows and leaveroom for fifteen minutes.


To kill ants, roaches, bedbugs, silverfish Spray into cracks and crevices around windows, doors and sink openings. Repeatively to control breeding. In addition UNDER bed, springs and mattress, and wall cracks should be sprayed repeatedly to eliminate bed bugs.

## CAUTION

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130 degrees Fahrenheit may cause bursting. Never throw container into fire or incinerator. Avoid contamination of food and food stuffs.

Kerr Chemicals Inc. Tucker, Ga. 30084

U.S.D.A. Reg. No. 10448-2



32)

<mark>se</mark>dstuffs prior to nation.

or open flame, ove 130°F may ontainer into fire

olding dispenser ed direction and v

event accidental

pe 12) 42.5

thane (Type 11): 42.5

(Butylcarbityl) 0.228 percent of

e (71.513E)



09 1375

edensi Increticido. Allo ledenticide Aci, , for the penicide

nder 9067 - 22

RITE-OFF

NET WEIGHT 11 OZ.

EPA Hel No. 9

## AIRCRAFT INSECTICIDE

KILLS FLIES, MOSQUITOES

& GNATS

CAUTION
KEEP OUT OF REACH OF CHILDREN
See Side Panels for other Cautions:

Manufactured by

RITE-OFF CORPORATION 163 DUPONT STREET PLAINVIEW, NEW YORK 11803

## **DIRECTIONS FOR USE**

- in the insecticide shall be dispensed in the amount of not less than 5 grams each 1,000 cu. It. of enclosed space in the aircraft and shall be released or sprayed throughout all accessible compartments. When valve is fully depressed, material is dispensed at approximately 1 gram per second.
- (2) Disinsectization may be accomplished either while the aircraft is in flight or while on the ground prior to take-off, but in no case shall disinsectization be accomplished later than 30 minutes prior to the first landing at a United States port.
- (3) The ventilation system shall be stopped and all openings to the exterior kept closed while the insecticide is being released or sprayed, and for a period of not less than 3 minutes thereafter if disinsectization is accomplished on the ground prior to take-off, the ventilation system may be opened at the end of such period provided that the system is equipped with filters or other means for preventing the entrance of insects into the aircraft, but doors, windows, or other such openings to the exterior shall be kept closed until after the take-off, except in the case of emergency, or to permit persons applying the insecticide to debark.

USE NO GREATER DOSAGES THAN REQUIRED. EXCESSIVE SPRAYING IS WASTEFUL.