



**COMPANY
NUMBER** 9852-

**PRODUCT
SERIAL NO.** 39

**LABEL
APPROVAL
DATE** 11-2-78

REGISTERED

NOV 19 1979

Insecticide, Fungicide, and Molluscicide, Botanicals Act, 9852-39

DIRECTIONS

FOR THE CONTROL OF GARDEN INSECTS - For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles, aphids, exposed thrips and spider mites. Hold container at least 18" from foliage, spray lightly in one-second bursts, spraying both top and underside of foliage. Properly treated, foliage will be protected from many garden insects for about one week.

This spray may be used on such plants as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snap dragons, stocks, Wandering Jew and zinnias.

As a fungicide, spray before infection occurs for the prevention of powdery mildew and black spot on roses. Spray at five to seven day intervals while danger of fungus infestation persists.

CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray or contact with eyes or skin. Wash thoroughly after use. Avoid contamination of feed or foodstuffs.

Do not spray closer than 18 inches from plants. Do not use near fishbowls or aquaria.

WARNING Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures about 130 F may cause bursting. Never throw container into fire or incinerate.

PYRENONE is a registered trademark of FMC Corporation.

EPA Est No 9852 N.Y. 1

Manufactured by RITE-OFF CORPORATION Bay Shore, NY 11706

9852-39



ROSE & FLO SPRAY

RESIDUAL

EPA Reg. No. 9852-39

A Special Blend of Insecticide, Fungicide, and Molluscicide

SPECIAL This spray may be used for treatment of incipient insect infestation in small gardens and for prevention of insect infestation in large gardens.

ACTIVE INGREDIENTS

- Pyrethrin
Piperonyl Butoxide, Technical*
Rotenone
Other Cube Extractives
Folpet; N-(Trichloromethylthio)phthalimide
Carbaryl, 1-naphthyl N-methylcarbamate
Petroleum Distillate

INERT INGREDIENTS

*Equivalent to 0.205% of (butylcarbonyl) ether and to 0.051% of related

WARNING

KEEP OUT OF REACH OF CHILDREN. Contents under pressure. See other instructions on Back.

Net Wt. - 16 oz.