

rite off[®]

AFRICAN VIOLET and House Plant SPRAY

INSECTICIDE
FAST KNOCKDOWN
WITH
NEW NEO-PYNAMIN[®]
EPA Reg. No. 9852-41

WARNING
KEEP OUT OF REACH OF CHILDREN
Contents under pressure.

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact flush with water. Do not smoke while spraying. See rear panel for additional precautions

[®]NEO-PYNAMIN REG. U.S. PAT OFF.
SUMITOMO CHEMICAL CO. LTD.

NET WT. 1 lb. 2 oz.

DIRECTIONS FOR USE

SHAKE BEFORE USE: Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

For control of aphids, two-spotted spider mites and adult white flies on ornamental house and greenhouse plants (African violet, aralia, Christmas cherry, chrysanthemum, cineraria, diffenbachia, fuschia, gloxinia, ivy, lantana, Neanthe bella palm, petunia, rose and snap dragon and on outdoor plants, azalea, chrysanthemum, euonymus, marigold, petunia, rose, snap dragon and zinnia). Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

For control of these pests as well as tent caterpillars, canker worms and garden webworm on ornamental crabapple, cherries and plum trees, spray as above. Do not spray bearing fruit trees.

CAUTION

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before re-use. When using the product in these areas apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.


ACTIVE INGREDIENTS:

*Tetramethrin.....	0.250%
and related compounds	0.034%
** (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate.....	0.106%
and related compounds	0.014%
Petroleum Distillate.....	9.000%
INERT INGREDIENTS:	90.596%
	100.000%

* [1-Cyclohexene-1,2-dicarboximidomethyl] 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate
** Cis/trans isomer content: Max. 30% (+) cis and Min. 70% (+) trans. U.S. Patent No. 3,465,007.

WARNING! Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

EPA Est. No. 9852-N.Y.-1
Manufactured by
RITE-OFF CORPORATION
163 DUPONT STREET
PLAINVIEW, NEW YORK 11803



rite off

AFRICAN VIOLET and House Plant SPRAY

INSECTICIDE
FAST KNOCKDOWN
WITH
NEW NEO-PYNAMIN®
EPA Reg. No. 9852-41

WARNING
KEEP OUT OF REACH OF CHILDREN
Contents under pressure.

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact flush with water. Do not smoke while spraying. See rear panel for additional precautions

®NEO-PYNAMIN REG. U.S. PAT OFF.
SUMITOMO CHEMICAL CO. LTD.

NET WT. 1 lb. 2 oz.

DIRECTIONS FOR USE

SHAKE BEFORE USE: Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

For control of aphids, two-spotted spider mites and adult white flies on ornamental house and greenhouse plants (African violet, aralia, Christmas cherry, chrysanthemum, cineraria, diffenbachis, fuschia, gloxinia, ivy, lantana, Neanthe bella palm, petunia, rose and snap dragon and on outdoor plants, azalea, chrysanthemum, euonymus, marigold, petunia, rose, snap dragon and zinnia). Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

For control of these pests as well as tent caterpillars, canker worms and garden webworm on ornamental crabapple, cherries and plum trees, spray as above. Do not spray bearing fruit trees.

CAUTION

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before re-use. When using the product in these areas apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

ACTIVE INGREDIENTS:

*Tetramethrin.....	0.250%
and related compounds.....	0.034%
** (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate.....	0.106%
and related compounds.....	0.014%
Petroleum Distillate.....	9.000%
INERT INGREDIENTS:.....	90.596%
	100.000%

* [1-Cyclohexene-1,2-dicarboximidomethyl] 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

* Cis/trans isomer content: Max. 30% (±) cis and Min. 70% (±) trans. U.S. Patent No. 3,465,007.

WARNING! Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator.

EPA Est. No. 9852-N.Y.-1
Manufactured by
RITE-OFF CORPORATION
163 DUPONT STREET
PLAINVIEW, NEW YORK 11803

ACCEPTED
FEB 1982
UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE AND RODENTICIDE
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 9852-41