

RITE-OFF

DRIONE® INSECTICIDE

EPA Reg. No. 9852-43

EPA Est. 9852-N.Y.-1

ACTIVE INGREDIENTS

Pyrethrins	1.00%
Piperonyl Butoxide, Technical*	10.00%
Amorphous Silica Gel	40.00%
Petroleum Hydrocarbons	49.00%
	100.00%

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% of related compounds.

CAUTION
KEEP OUT OF REACH OF CHILDREN

Avoid Inhalation

Do not reuse container. Bury with wastes.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is a finely divided powder which combines the flushing and killing powers of pyrethrins and piperonyl butoxide with the dehydrative principle of thermally attrited hydrogel. It is relatively odorless and non-staining and may be used in accordance with directions in homes, restaurants, stores, hotels, offices, plants and warehouses. When used as directed, it is highly effective in controlling ants, roaches, silverfish, bed bugs, fleas, lice, ticks and dry wood termites.

DIRECTIONS FOR USE CONTINUED ON REAR PANELS

Net Contents Gallon

Packaged and Sold by

RITE-OFF CORPORATION

163 DUPONT STREET
PLAINVIEW, NEW YORK 11803

NON FOOD AREAS:

Homes, institutions, hospitals, office buildings, hotels, motels, theaters and schools:

To control running and crawling insect life as ants, cockroaches, silverfish, and fleas in animal quarters, distribute Drione at the rate of 2 ounces per 100 square feet of surface area. Apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treat on, around and behind moulding, shelving, baseboards, pipe openings, cracks, crevices and other areas where insects may hide. For severe infestations, apply Drione behind cabinets and walls, in crawl spaces and attics, at the rate of 16 ounces per 1000 square feet of surface area. Repeat treatment as necessary.

FOOD PLANT PRECAUTION:

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

SEWER TREATMENTS: American and Oriental cockroach infestations in sanitary sewers may be treated with approximately 0.3 lb. Drione per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck-mounted ventilating equipment; 0.3 lb. of Drione is introduced into the ventilating air, to be dispersed quickly and thoroughly through the system.

BED BUGS: Take bed apart. Dust into joints and channels. If hollow, square or round tubing, see that the interior of framework is well dusted. Mattress should be dusted, especially tufts, folds and edges. Picture frame molding and all cracks and crevices in the room should be treated.

DRY WOOD TERMITES: These termites are restricted to certain parts of the country and should not be confused with Subterranean termites. Use an electric or hand operated rotary duster to distribute Drione through and entry, e.g., crawl hole into the attic and the crawl space of the building. Rate of application is recommended at one (1) pound per 1,000 square feet of floor areas. All wood surfaces must be covered. All vents and louvres on the windward side to be closed.

FLEAS: Dogs and Cats: Liberally apply powder to the animal, rubbing thoroughly to the skin. Begin with the neck and include the underbody, legs, feet and the base of the tail. Repeat as necessary. Surfaces of kennels should be dusted at rate of one ounce per 50 square feet. Heavily infested lawns, basements or crawl spaces should be dusted at rate of 16 ounces per 1000 square feet. Repeat as necessary.

DRIONE --Registered Trademark of FMC Corporation

