

**DIRECTIONS FOR USE**

**SHAKE BEFORE USING**

Hold container upright, nozzle away from you. Press valve down and spray as directed.

Remove pets, birds and cover fish aquariums before spraying.

**For The Control Of The Following Household Insects**

**Houseflies, mosquitoes, flying moths (Millers), gnats and wasps:** Shut doors and windows and spray room at the rate of 5 to 6 seconds per 1000 cubic feet. Keep room closed for at least 10 minutes after spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

**To kill roaches and silverfish,** spray directly at insects wherever possible in addition to thorough spraying of all parts of the rooms suspected of harboring these pests. Special attention should be given to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators, and food storage areas. Repeat treatment as necessary for control.

**To kill pavement ants,** spray directly at the insects whenever possible. Spray around window frames, doors, and ant trails. Repeat treatment as necessary for control.

**For the Control of the Following Garden Insects**

Spray with slow sweeping motion, not closer than 18 inches from plants. Avoid wetting plants. Spray plants only when air is still. For single plants spray in short bursts. Repeat as necessary for control. Be cautious about wetting tender foliage, young plants, and new growth. Do not spray plants when temperature exceeds 90 F.

For use on roses, dahlias, and asters to kill Japanese beetles hit by spray, as well as aphids, exposed thrips, and spider mites.

May also be used on other plants, such as African violets, azaleas, begonias, carnations, callias, chrysanthemums, delphiniums, dogwood, English ivy, geraniums, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, wandering Jew, and zinnias.

Effective when used as directed against aphids, spider mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, clover mites, and army worms.

**CAUTION:** Harmful if swallowed. Do not spray near or toward an open flame. Avoid contamination of feed and foodstuffs.

If used in food processing plants or commercial food preparation areas, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply only while facility is not in operation.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Apply this product only as specified on this label.

Do not remain in treated areas. Ventilate the area after treatment is completed.

**RITE-OFF**

**INDOOR  
-OUTDOOR  
HOME & INDUSTRIAL  
AEROSOL**

For Control of Residential, Industrial, and Garden Insect Pests As Listed In Label Directions.

A PYRENONE® INSECTICIDE

**ACTIVE INGREDIENTS**

Peronyl Butoxide, Technical\*..... 0.25%  
Petroleum Distillate..... 1.00%

**INERT INGREDIENTS** (including 0.10% of sodium nitrite)..... 97.75%

\*Equivalent to 0.8% of (butylcarbityl) (6-propyl-piperonyl) ether and 0.2% of related compounds.

**WARNING**

**KEEP OUT OF REACH OF CHILDREN**

**WARNING:** Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

See other cautions on Back Panel.

PYRENONE is a registered trademark of FMC Corporation.

Net Wt. 1 lb. 2 oz.

EPA Reg. No. 9852-46  
EPA Est. No. 9852-N.Y.-1

Manufactured by  
**RITE OFF CORPORATION**  
163 Dupont St., Plainview, N.Y. 11803

OCT 30 1975