DIRECTIONS

This product should be applied as a coarse (large droplet) spray in spot treatment of localized surface areas only.

Cockroaches, Ants, Silverfish, Spiders, Crickets, and Earwigs: Spray areas where these pests are found or may hide, including dark corners of rooms and closets, cracks, and crevices, along baseboards and door sills and frames, behind and beneath sinks, stoves, refrigerators, and cabinets, and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. Spray ant trails, nests and points of entry.

Brown Dog Ticks: Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product.

Flies and Mosquitoes: Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions, and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.



**U.S. Patent No. 3,244,586

CAUTION **KEEP OUT OF REACH OF CHILDREN**

See rear panel for additional precautions

NOTE TO PHYSICIAN: Contains petroleum distillate. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube. Active ingridients contain a cholinesterase inhibitor. Treat symptomatically. Atrophine is an antidote.

> **NET CONTENTS:** Gallon(s)

EPA Reg. No. 9852-47

MANUFACTURED IN U.S.A. BY **RITE-OFF CORPORATION** 163 Dupont Street, Plainview, N.Y. 11803

EPA Est. No. 9852-N.Y.-1

. 0.052%	٠	•	•	•	•	•	•	•		•		•	
. 0.260%	•	•	•	٠	•	٠	•	•	•	•	•	•	
. 0.500%			•		•	•				•			
98.736%					•	•	•	•					
. 0.452%		-				•	•			•		•	
100.000%													
ether and to 0.052% related													

USE PRECAUTIONS

Do not allow children or pets to contact treated surfaces until spray has dried.

Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label.

Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils if contaminated with this product.

Remove pets and cover fish bowls before spraying.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

HARMFUL IF SWALLOWED COM-BUSTIBLE: Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Do not smoke while using. Wash thoroughly after handling. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. If swallowed, do not induce vomiting. Call a physician immediately.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.