

JAN 25 1993

300/5478987  
17

Mr. Andrew Kieniksman  
Rite-Off, Inc.  
1545 5th Industrial Court  
Bay Shore, NY 11706

Dear Mr. Kieniksman:

Subject: Amendment - Product Name Change  
R.O. Formula (Tetramethrin) Insect Fogger  
EPA Registration No. 9852-68  
Your Application Dated October 22, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. At your next label printing please make the following change:

1. The words, ACTIVE INGREDIENTS and INERT INGREDIENTS, must be printed in type of the same size and be given equal prominence.

Sincerely yours,

George T. LaRocca  
Product Manager 13  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

16A 1/22/93

# FORMULA 917

## VANQUISH INSECT FOGGER

For use in rooms, apartments, homes, hotels, restaurants, campers, boats, and vehicles. Kills cockroaches, flies, mosquitoes, and other insects.

One unit treats up to 6,000 cubic feet

Kills cockroaches, house flies, and mosquitoes. Kills flies, mosquitoes, and other insects. Kills flies, mosquitoes, and other insects.

### ACTIVE INGREDIENTS

2,2,4,4-tetrahydro-3H-pyridin-3-one 1.00%  
2,2,4,4-tetrahydro-3H-pyridin-3-one 1.00%  
2,2,4,4-tetrahydro-3H-pyridin-3-one 1.00%  
2,2,4,4-tetrahydro-3H-pyridin-3-one 1.00%

NEVER OPENED - For use only in areas where the fogger is used.

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: If swallowed, induce vomiting. Do not give anything by mouth to someone who is unconscious or is seizing. Get medical attention immediately.  
IF IN EYES: Flush with plenty of water. Get medical attention immediately.  
IF ON SKIN OR CLOTHING: Remove clothing. Wash skin with plenty of water. Get medical attention if irritation persists.  
IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.

EPA Reg. No. 9882-48

EPA Est. No. 9882-NY-1

NET WT. 5 OZ.

CAUTION - KEEP OUT OF REACH OF CHILDREN

Use only in areas where the fogger is used.

**Precautionary Statements**  
**Hazards to Humans and Domestic Animals**  
**CAUTION:** Harmful if swallowed or inhaled. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Causes moderate eye injury. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with plenty of soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food and feedstuffs.  
**Do not use in commercial food processing, preparation, food storage or serving areas.** In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.  
**Remove pets, birds, and cover fish aquariums before spraying.**  
**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.  
**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
This product will kill cockroaches, confused flour beetles, crickets, fleas, houseflies, pill bugs, rice weevils, saw-toothed grain beetles, silverfish, small flying moths, spiders, ticks, and worms.  
**Cover exposed food, dishes, and food-handling equipment.** Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and turn off pilot lights. Close doors and windows. Point valve opening away from face when rearing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry. Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.  
**To Operate Valves:** Place several layers of newspaper or pad on stand or table in the center of the room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking in the catch. Then place fogger on the stand or table with valve locked open. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.  
**To Kill Pets and Poultry:** Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to re-entering treated premises.  
**STORAGE AND DISPOSAL**  
**STORAGE:** Store in a cool dry area away from heat or open flame.  
**DISPOSAL:** Replace cap and discard container in trash. Do not incinerate or puncture.  
Manufactured by:  
RRE-Off  
1545 5th Industrial Ct.  
Bay Shore, NY 11704

BEST AVAILABLE COPY

ACCEPTED with COMMENTS in EPA Letter Date

JAN 25 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act (716-100), for the purpose of registration under EPA Reregistration

9852-65