

AS iL

5507 Tropical Super Service
Anti-Fouling Paint

5507
11-16-70

ANTI-FOULING INGREDIENTS
ACTIVE INGREDIENTS
Cuprous Oxide 28.8%
Metallic Copper 5.3%
INERT INGREDIENTS 65.9%
5507 11-16-70 100.0%

WARNING! See caution elsewhere
on label. (FR 6)

Mobil

Sovaklor Super Tropical Anti-Fouling 59-R-21

| | |
|---|--------|
| SOVAKLOR SUPER TROPICAL ANTI-FOULING 59-R-21 | |
| ANTI-FOULING INGREDIENTS | |
| ACTIVE INGREDIENTS | |
| Cuprous Oxide | 32.9% |
| Metallic Copper | 7% |
| INERT INGREDIENTS | |
| 11-9-72 | 100.0% |

WARNING! See caution elsewhere
on label. (FR-4)

NOTICE: THIS PRODUCT IS FOR INDUSTRIAL USE ONLY
(FR-1) AND IS NOT INTENDED OR SUITABLE FOR USE
IN OR AROUND A HOUSEHOLD OR DWELLING.

EPA Reg. No. 9855-19

EPA Est. 9855-NJ-1

NET 1 GALLON

ANTI-FOULING PAINT FOR METAL BOTTOMS

Super Tropical

11-9-72

11-9-72

11-9-72

CONTAINS

WARNING!



Mobil Chemical Company