

Avoid prolonged or repeated contact with skin and clothing. Keep out of reach of children.

The buyer assumes any risk involved in the use of this product on these conditions.

DOGS & CATS
RECT APPLICATION
Sprays

Spray of 1 oz. of Malathion EM-5 Emulsifiable Concentrate in 1 gallon of water. Wet the animal thoroughly using a fine spray.

For the control of fleas, treatments may have to be made every 7 to 10 days. To avoid unnecessary applications, animal should be bathed with mild soap and water before re-treating. If the animal has fleas, one treatment may be sufficient.


ANIMAL QUARTERS
Sprays

Use in kennels, pens, yards, stables and other places where animals are kept before spraying. Use 1/2 oz. of Emulsifiable Concentrate per 1 gal. of water per 100 sq. ft. Use garden sprayer.

ORNAMENTALS

For control of insects on ornamentals, use 1 pint of Emulsifiable Concentrate per 100 gallons of water. Use 1/2 pint of Emulsifiable Concentrate per 100 gallons of water for control of insects on ornamentals. Use 1/4 pint of Emulsifiable Concentrate per 100 gallons of water for control of insects on ornamentals. Use 1/8 pint of Emulsifiable Concentrate per 100 gallons of water for control of insects on ornamentals.

Use 1/2 pint of Emulsifiable Concentrate per 100 gallons of water for control of insects on ornamentals.



MALATHION EM-5

An Emulsifiable Concentrate containing
5 lbs. of Actual Malathion per Gallon

ACTIVE INGREDIENTS:

Malathion (0,0 dimethyl dithiophosphate of diethyl mercaptosuccinic acid)
Aromatic petroleum derivative solvent

INERT INGREDIENTS:

TOTAL

BY WEIGHT

57.0%
32.0%
11.0%
100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR OTHER CAUTIONS.

PUNNSBORO, PENNSYLVANIA

MANUFACTURED FOR
B&G COMPANY
TAMPA, FLORIDA

HOUSTON, TEXAS
DALLAS, TEXAS

HOUSTON, TEXAS

For the control of insects on plants, clover, alfalfa, and food processing plants, at the rate of 6 1/2 fluid ounces per 100 gallons of water. Use a coarse spray or paint brush. Use on sinks, drainboards, stoves, and other surfaces frequented by insects.

For control of bedbugs in domestic premises, use at a rate of 1 to 2 fluid ounces per 100 gallons of water. Apply lightly to all surfaces. Wash the fabric and general surfaces. Take care to wet all possible hiding places. Remove fish, birds and pets from the premises.

Use in animal quarters at a rate of 1/2 oz. per 100 sq. ft. of water.

Water emulsions may be used on ornamentals.

For control of insects on ornamentals, use 1 pint of Emulsifiable Concentrate per 100 gallons of water.

Use 1/2 pint of Emulsifiable Concentrate per 100 gallons of water for control of insects on ornamentals.

Use 1/4 pint of Emulsifiable Concentrate per 100 gallons of water for control of insects on ornamentals.

Use 1/8 pint of Emulsifiable Concentrate per 100 gallons of water for control of insects on ornamentals.

HOUSEHOLD INSECTS

For the control of ants, clover mites, crickets, earwigs, pantry pests, roaches, scorpions, silverfish and spiders in and about homes, dairy and food-processing plants, use Malathion 57% Emulsifiable Liquid at the rate of **6 1/2 fluid ounces per gallon** of water. Apply by means of a coarse spray or paint brush to window sills, baseboards, under sinks, drainboards, stoves, cracks and crevices and to other areas frequented by insects.

For control of bedbugs in dwellings use Malathion 57% Emulsifiable Liquid at a rate of **1 to 2 fluid ounces per gallon** of deodorized kerosene. Apply lightly to all mattress surfaces in sufficient quantity to "mist" the fabric and generously to beds and woodwork with special care taken to wet all possible hiding places. Remove fish tanks and pets before treating.

Avoid contamination of food, utensils, milk, milk equipment, and water.

Water emulsions may be used on smooth surfaces such as wallpaper, linoleum, tile, etc.

Repeat applications as necessary.

Apply to cracks and crevices, especially in saw-toothed grain beetle, flour beetle, and weevil infestations. Apply to cracks, crevices, and under floorboards.

Apply to cracks and crevices.

Apply to cracks and crevices.

Apply to cracks and crevices, especially in saw-toothed grain beetle, flour beetle, and weevil infestations. Apply to cracks, crevices, and under floorboards.

MOSQUITOES AND SMALL FLYING INSECTS OUTDOORS

Use 3% Malathion fog, or aerosol or insect spray. As a spray dilute 57% Emulsifiable Liquid **1 to 28 parts** of water, fuel oil or diesel oil. When using kerosene type solvent as carrier dilute **1 part** of 57% Emulsifiable Liquid in **28 parts** of a mixture consisting of **4 parts** kerosene type solvent and **1 part** aromatic hydrocarbon type solvent. For 5% dilute 1-11 using similar solvents. Repeat applications as necessary.

Avoid applying oil-based formulations to valuable ornamental plants as injury may occur. DO NOT use for mosquito fogging where food crops are grown.

Mosquito larvae in standing water

Apply 57% Malathion Emulsifiable Liquid at rate of **13 fluid ounces** approximately **1 1/2 pound** actual Malathion per acre. Mix in sufficient water or oil to obtain even coverage when applied by air or ground equipment.

INDOORS

Use 1/2% Malathion liquid spray in contact spray or fogging. Malathion fogging is most effective when used in contact with insects. Do not apply to the spray.

When stored thoroughly washed equipment should be kept for 5 to 10 minutes. Do not use for 5 to 10 minutes. Repeat applications as necessary. Do NOT contaminate food, dishes, or utensils. DO NOT apply to food, surfaces, trees, flowers, or other ornamental plants in the home.

U.S. 21-600-9-67

1-5

BY WEIGHT

57.0%

32.0%

11.0%

100.0%

CHILDREN