



WARNING

OBSERVE THE FOLLOWING USE PRECAUTIONS

- 1. Apply to the skin only. Do not use on the face, neck, or in the eyes.
- 2. Avoid contact with the eyes. If contact occurs, flush with water.
- 3. Avoid contact with the mouth. Do not swallow.
- 4. External use only. Do not use on open wounds.
- 5. Avoid contact with clothing. If contact occurs, wash with water.
- 6. Avoid contact with the hands. If contact occurs, wash with water.
- 7. Avoid contact with the hair. If contact occurs, wash with water.
- 8. Avoid contact with the skin. If contact occurs, wash with water.

AERATION

GENERAL DIRECTIONS FOR USE

1. Preparation of the fumigant solution. The fumigant is supplied in a 50 lb. net. The fumigant is dissolved in water in a 5-gallon container. The solution is then poured into a 5-gallon container. The solution is then poured into a 5-gallon container.

2. Preparation of the fumigant solution. The fumigant is supplied in a 50 lb. net. The fumigant is dissolved in water in a 5-gallon container. The solution is then poured into a 5-gallon container. The solution is then poured into a 5-gallon container.

3. Preparation of the fumigant solution. The fumigant is supplied in a 50 lb. net. The fumigant is dissolved in water in a 5-gallon container. The solution is then poured into a 5-gallon container. The solution is then poured into a 5-gallon container.

4. Preparation of the fumigant solution. The fumigant is supplied in a 50 lb. net. The fumigant is dissolved in water in a 5-gallon container. The solution is then poured into a 5-gallon container. The solution is then poured into a 5-gallon container.

5. Preparation of the fumigant solution. The fumigant is supplied in a 50 lb. net. The fumigant is dissolved in water in a 5-gallon container. The solution is then poured into a 5-gallon container. The solution is then poured into a 5-gallon container.

6. Preparation of the fumigant solution. The fumigant is supplied in a 50 lb. net. The fumigant is dissolved in water in a 5-gallon container. The solution is then poured into a 5-gallon container. The solution is then poured into a 5-gallon container.

7. Preparation of the fumigant solution. The fumigant is supplied in a 50 lb. net. The fumigant is dissolved in water in a 5-gallon container. The solution is then poured into a 5-gallon container. The solution is then poured into a 5-gallon container.

8. Preparation of the fumigant solution. The fumigant is supplied in a 50 lb. net. The fumigant is dissolved in water in a 5-gallon container. The solution is then poured into a 5-gallon container. The solution is then poured into a 5-gallon container.

NET CONTENTS:



FUMI-BA

DANGER: KEEP OUT OF REACH
SEE SIDE PANEL FOR ADDITIONAL WARNING AND ANTI

HOUSTON, TEXAS
DALLAS, TEXAS

MANUFACTURED FOR
B&G COMPANY
TAMPA, FLORIDA



FUMI-BAN

| | |
|---------------------|--------|
| Net Weight | 2.5000 |
| Carb. Tetrachloride | 74.0 |
| Airylon triole | 2.5 |
| TOTAL | |

DANGER: KEEP OUT OF REACH OF CHILDREN.
SEE SIDE PANEL FOR ADDITIONAL WARNING AND ANTIDOTE STATEMENTS

HOUSTON, TEXAS
DALLAS, TEXAS

MANUFACTURED FOR
B&G COMPANY
TAMPA, FLORIDA

PLUMSTEADVILLE,
PENNSYLVANIA

Atmospheric Chamber Fumigation

BE TRENCHES CONTAINING FUMI-BAN

THIS CONTAINER
METAL CONTAINERS

... ..

Atmospheric Chamber Fumigation

... ..

DESTROY EMPTY CONTAINER NEVER RE USE

GLASS CONTAINER
METAL CONTAINERS 1 Gal. Cap

... .. **3**
... .. **5-Gal. Drum**
... .. **30-Gal. Drum**
... .. **55-Gal. Drum**
Do Not

DANGER

... ..

ANTIDOTE AND FIRST AID

CALL A PHYSICIAN IMMEDIATELY!
... ..
IF SWALLOWED

**NEVER GIVE ANYTHING BY MOUTH
TO AN UNCONSCIOUS PERSON**

NOTICE

... ..
... ..
... ..
... ..

LDREN.
TEMENTS

LANCASTERVILLE,
PENNSYLVANIA

L-BG-86-500-3-68