(Center Panel) .

## LANCO NUTRITIONAL MIX 117

ACTIVE INGREDIENT:	
Sulfur	
Inert Ingredients:	25.9%
TOTAL	. 100.0%
ADDED NUTRITIONAL INGREDIENTS: (Included in Inerts)	
Zinc as Metallic Minimum	7.6%
Copper as Metallic Minimum	3.1%

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with soap and water. Get medical attention. IF IN EYES: Flush with plenty of water. Call a physician if

irritation persists.

See side panel for additional precautionary statements

EPA Reg. No. 9859-73

EPA Est. No. 9859-FL-1

NET WEIGHT 42.5 POUNDS

ACCEPTED
REREGISTERED
APR 7 1988

Under the Federal Imperience, Fungicide, and Rededicide lies on annivered, for the periode resistant under 9859-73 EPA Reg. file. Manufactured By:

LANDIA CHEMICAL COMPANY

LAKELAND, FLORIDA 33801

(Left Panel)

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, or other undesirable results may occur.

Applications of materials containing sulfur should not be made prior to or during periods of excessively high summer temperatures or within 3 weeks of an oil spray.

#### PHYSICAL HAZARDS

Keep away from fire and sparks.

## STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Pesticide Storage

Store in original containers only. Store in a cool, dry place and avdid excess heat. Carefully open containers. After partial use, foldeand roll back bags clamp and close tightly. Do not put concentrate or dilute material into food or drink containers.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

Pesticide Disposal Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

(Right Panel)

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 24 hours unless appropriate protective clothing is worn.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

#### CAUTION

Area treated with Sulfur on (insert date). Do not enter treated areas for 24 hours unless appropriate protective clothing is worn (insert State Department of Agriculture's re-entry interval, if: more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

For use on citrus to control rust mites and for zinc and copper nutrition.

DIRECTIONS: Use one bag to each 500 gallon spray tank, adding when tank is partially filled. Keep tank agitated while filling and during spray operations. Spray all foliage thoroughly. Do not use in combination with oil emulsion. Do not use NUTRITIONAL MIX 117 within 3 weeks after oil application.

Sulfur may burn foliage when temperature is high. Do not make applications at such times. Consult with your State Agricultural Extension Service for additional information consistent with this label's cautions and directions.

NOTICE: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

