EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED

ACCEPTED
with Comments
in EPA Laker Dated:

APR 22 1986

Under the Ferkeral Insecticide, Fungleide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

(Center Panel)

90-10 DUSTING SULFUR WITH MANGANESE

An Agricultural Fungicide

ACTIVE INGREDIENT:	
Sulfur	83.7%
<pre>Inert Ingredients*</pre>	
TOTAL	100.0%
*including Manganese (from Manganese Sulfate 27.3%Mn) expressed as metallic	7 7%
expressed as metallic	2.76
MESH TEST: Not less than 93% passing through a 325 mg	esh screen

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with soap and water. Get medical attention. IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

See side panel for additional precautionary statements.

EPA Req. No. 9859-99

EPA Est. No.	9859-FL-1
50 POUNDS NET WEIGHT	••••
Manufactured By:	• • • • • • • • • • • • • • • • • • • •
LANDIA CHEMICAL COMPANY	• • • • • • • • • • • • • • • • • • • •
LAKELAND, FLORIDA 33801	•••••
	•••

(Left Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, or other undesirable results may occur.

Applications of materials containing sulfur should not be made prior to or during periods of excessively high summer temperatures or within 2 weeks of an oil spray.

PHYSICAL HAZARDS

Keep away from fire, sparks, and flame.

STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Pesticide Storage

Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

(Right Panel)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 24 hours unless appropriate protective clothing is worn.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further infortion.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION

Area treated with Sulfur on (insert date). Do not enter treated areas for 24 hours unless appropriate protective clothing is worn (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated, clothing and wash before reuse. If in eyes, flush with plenty, of water. If inhaled, go to an area where the pesticide has into the been applied. Get medical attention if needed.

To be used as a dust without dilution in conventional ground or air dusters. Dusts should be applied when the wind velocity is less than 5 miles per hour. The best hours for dusting are usually between 5:00 P.M. and 9:00 A.M.

Use higher rates with heavy infestations.

BEANS: For the control of Rust and Powdery Mildew and for manganese deficiency of beans. Apply at the rate of 30 to 40 lbs. per acre. Repeat at 7 to 10 day intervals to within 10 days of harvest. To be most effective, control should be started before leaves are infected. The control obtained before flowering has more effect on yield than control late in the crop season.

PEANUTS: For the control of Early and Late Leaf Spot Diseases (usually combined with 5% Basic Copper Sulfate), and for correction of manganese dificiency of peanuts. Apply at the rate of 20 to 25 lbs. per acre at 7 to 10 day intervals, as necessary. Begin dusting when diseases first appear and continue to within one month of harvest.

CAUTION: Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use-had proven that sulfur is safe in that locality.

Sulfur may burn foliage when temperatures are excessively high (90 degrees F. or above). Do not apply any sprays containing oil, dinitro materials or Captan within 30 days of foliage dusted with sulfur.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.

66666 66666