

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING

May be fatal if swallowed. Do not breathe vapor, dust, or spray mist. Do not get in eyes, on skin or clothing. In case of skin contact, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

A committee of the National Academy of Sciences has stated:

"There are no adequate data to show that these compounds are carcinogenic in humans, but because of their carcinogenicity in certain mouse strains and the extensive similarity of the carcinogenic action of chemicals in animals and in humans, the committee concluded that chlordane, heptachlor, and/or their metabolites may be carcinogenic in humans."

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product may not be used against any pests not named on the label.

Add 1 gallon of CHLORDANE EM-8 emulsifiable to 95 gallons of water for a 1% emulsion.

STORAGE AND DISPOSAL

1. Prohibitions

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

2. Pesticide Disposal


Pesticide, spray, mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away for water supplies.

3. Container Disposal

Do not reuse empty container. Wrap and put in trash collection.

4. General

Consult Federal, state or local disposal authorities for approved alternative procedures.



CHLORDANE

Insecticide For Non-Profess

ACTIVE INGREDIENTS:
Chlordane, Technical
Xylene Range Aromatic Solvent
INERT INGREDIENTS.....

Total.....

*Equivalent to 43.79% Octachloro-4, 7-methanotetrahydroindan

**KEEP OUT OF THE REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

If swallowed— Call a physician immediately. Gastric lavage taken internally. DO NOT INDUCE vomiting available. Vomiting may cause aspiration. To induce vomiting, give victim one or two finger in back of throat. Repeat until vomiting or give anything by mouth to an unconscious person.
If inhaled— Remove victim to fresh air and apply respiration.
If on skin— Wash promptly with soap and water. Rinse.
If in eyes— Rinse eyes with plenty of water immediately.

**LANDIA CHEMICAL COMPANY
LAKELAND, FLORIDA 33801
NET CONTENTS:**

ANCO DANE EM-8

Non-Professional Use

Technical	72.99%
Automatic Solvent	22.47%
	4.54%
	100%

lanotetrahydroindane and 29.20 related compounds.

REACH OF CHILDREN. WARNING

FACTICAL TREATMENT

tely. Gastric lavage is indicated if material was
INDUCE vomiting unless other treatment is not
cause aspiration pneumonia. If it is necessary
victim one or two glasses of water and insert
Repeat until vomit fluid is clear. Do not induce
by mouth to an unconscious person.
r and apply respiration if indicated.
and water. Rinse thoroughly.
nty of water and call a physician

MICAL COMPANY
FLORIDA 33801
INTENTS:



SUBTERHANEAN TERMITE CONTROL IN EXISTING STRUCTURES

Buildings with Basements or Crawl-Spaces

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the footing. Make holes closer in hard-packed clay soils. Never dig below the top of the footing. Apply the solution in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil, and take care to avoid contaminating water supplies.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of solution into each hole. Refill holes. Slabs with heat ducts or radiating pipes should be treated by professional pest control operators.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the

Agricultural Cooperative Extension Service for advice or consult a Professional Pest Control Service.

"Avoid contamination of public and private water supplies by following these precautions. Use anti-back-flow siphonage equipment. Refer to federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells should not be treated if it is water saturated, or by injecting the solution under pressure. Soil should be removed to an area safe from well contamination, treated, and returned to the trench which has been lined with plastic sheeting."

LIMIT OF WARRANTY AND LIABILITY

The exclusive remedy of the user or buyer and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or the handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. There is no warranty and this company and any other seller disclaim all liability for all losses, personal injuries or damages arising from combining substances and from any use of this product not recommended in label directions or arising from misuse, improper handling or improper storage.

E.P.A. REG. NO. 9859 — 122
E.P.A. EST. NO. 9859 — FL — 1