



CAUTION: COMBUSTIBLE MIXTURE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. Avoid contamination of feed and foodstuffs.

A committee of the National Academy of Sciences has stated that:

"There are no adequate data to show that these compounds are carcinogenic in humans, but because of their carcinogenicity in certain mouse strains and the extensive similarity of the carcinogenic action of chemicals in animals and in humans, the committee concluded that chlordane, heptachlor, and/or their metabolites may be carcinogenic in humans."

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

NOTICE—Because Landia Chemical Company has no control over storage, handling, and conditions of use, which are of critical importance. Landia Chemical Company makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or storage of this material. Nor does Landia Chemical Company assume any responsibility for injury to persons, crops, animals, soil or property resulting from misuse, improper handling or storage of this material.

DIRECTIONS FOR USE

A violation of federal law to use this product in a manner inconsistent with its label. This product may not be used against any pests not named on the label.

SUBTERRANEAN TERMITES

DIRECTIONS FOR NON-PROFESSIONAL USE

1. Mix 1 quart of CHLORDANE EM 4 emulsifiable to 5 gallons of water for a 1% emulsion. Apply the 1% emulsion as follows.



CHLORDANE EM-4

HOMEOWNER USE

ACTIVE INGREDIENTS:

Technical Chlordane* 43.88%
Xylene Range Aromatic Solvent 52.12%

INERT INGREDIENTS 4.00%

Total 100.00%

* EQUIVALENT TO 26.33% OCTACHLORO-4,7-METHANOTETRAHYDROINDANE AND 17.55 RELATED COMPOUNDS.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air and apply respiration if indicated.

If on skin—Wash promptly with soap and water. Rinse thoroughly.

If in eyes—Rinse eyes for at least 15 minutes with water and call a physician immediately.

MANUFACTURED BY

LANDIA CHEMICAL CO.

LAKELAND, FLORIDA 33801

NET CONTENTS:

TERMITES

Buildings
First remove
along four
brick and b
12 inches d
from the tre
dig below t
10 linear fe
inside of co
treated soil

For raised
from the fo
Slabs with
trol operat

The object
critical are
basements
Cooperativ

"Avoid con
tions. Use
ministratio
wells. Se
ting the sol
tamination
sheeting

1. Prohibit
Do not
ment. O
2. Pesticid
Pesticid
should
away fr
3. Contain
Do not
4. Genera
Consu



CHLORDANE EM-4

HOMEOWNER USE

ACTIVE INGREDIENTS:

Technical Chlordane* 43.88%
Xylene Range Aromatic Solvent 52.12%

INERT INGREDIENTS 4.00%

Total.....100.00%

*EQUIVALENT TO 26.33% OCTACHLORO-4,7-METHANOTETRAHYDROINDANE
AND 17.55 RELATED COMPOUNDS.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed—** Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. **Do not induce** vomiting or give anything by mouth to an unconscious person.
- If inhaled—** Remove victim to fresh air and apply respiration if indicated
- If on skin—** Wash promptly with soap and water. Rinse thoroughly.
- If in eyes—** Rinse eyes for at least 15 minutes with water and call a physician immediately.

MANUFACTURED BY

LANDIA CHEMICAL CO.

LAKELAND, FLORIDA 33801

NET CONTENTS:

TERMITE CONTROL IN EXISTING STRUCTURES

Buildings With Basements or Crawl-Spaces

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or rod about one foot apart that extend from the trench bottom to the footing. Make holes closer in hard-packed clay soils. Never dig below the top of the footing. Apply the solution in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil, and take care to avoid contaminating water supplies.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of solution into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by professional pest control operators.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Professional Pest Control Service.

"Avoid contamination of public and private water supplies by following these precautions. Use anti-back-flow siphonage equipment. Refer to federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells should not be treated if it is water saturated, or by injecting the solution under pressure. Soil should be removed to an area safe from well contamination, treated, and returned to the trench which has been lined with plastic sheeting."

STORAGE AND DISPOSAL

- Prohibitions**
Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.
- Pesticide Disposal**
Pesticide, spray mixture or rinse water that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
- Container Disposal**
Do not re-use empty container. Wrap container and put in the trash collection.
- General**
Consult federal, state or local disposal authorities for approved alternatives.

EPA Est. No. 9859 - FL - 1

EPA Reg. No. 9859 - 124