

POULTRY DUST C-R

FASCO POULTRY DUST C-R is an insecticidal dust formulation designed for use against Northern Fowl Mite, Lice, Poultry Red Mite, and Flies which infest Poultry. Direct application of the dust may be made to the birds by means of rotary or hand dusters, puff dusters, or by sprinkling from a can as directed below.

DIRECTIONS

Use contrary to these directions may cause injury to poultry, personal injury, excessive residues, unsatisfactory control or other unintended consequences.

DIRECT APPLICATION TO POULTRY (Chickens, Turkeys, Ducks, Geese) — For the control of Northern Fowl Mite and Lice, dust birds thoroughly, especially under wings and around vent. Supplemental control can be obtained by also treating litter and housing. Normally one pound of dust will treat 30-50 birds. Repeat as necessary but not more often than weekly.

LITTER AND HOUSING TREATMENT — For control of Northern Fowl Mite, Poultry Red Mite, Lice, and Flies, apply one pound of dust per 70 square feet of surface area to walls, ceiling, floor, roosts, nests, and adjacent areas, as well as per 20 square feet of litter area. Force dust into all cracks and crevices. Repeat as necessary.

CAUTION: Keep Out of the Reach of Children.

See side panel for additional cautions.

SPECIMEN LABEL

For Control of External Parasites

Contains 0.5%® CO-RAL

ACTIVE INGREDIENTS:	By Wt.
O,O-Diethyl 0- β -chloro-4-methyl -2-oxo-(H)(1)-benzopyran-7-yl) phosphorothioate†	0.5%
INERT INGREDIENTS	99.5%
<hr/>	
TOTAL —	100.0%

U.S. Patent No. 2,748,146.

ACCEPTED

JAN 18 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 2342-540 SUBJECT

PRECAUTIONS

Do not treat birds within 10 days of vaccination or other stress influence.

Avoid contamination of feed, water, and water utensils. Provide thorough ventilation while dusting. Do not use on cats.

CAUTION

Avoid prolonged inhalation of dust. Wash after handling.

Do not contaminate feed or food. Keep out of reach of children.

If misuse results in accidental poisoning, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression. Atropine Sulfate is antidotal.

CONDITIONS OF SALE

Neither the manufacturer nor the seller makes, and neither authorizes any person to make, any guarantee, representation or warranty, express or implied, concerning this material, except that it substantially conforms to the chemical description on the label, and any damages resulting from non-conformance thereto shall be limited to direct damages and shall not include consequential damages.