

Net Contents
25 Pounds

POULTRY DUST C-R

ACCEPTED

Product
No. 20-763401

FASCO POULTRY DUST C-R is an insecticidal dust formulation designed for use against Northern Fowl Mite, Lice, Poultry Red Mite, and Flies which infest Poultry. Direct application of the dust may be made to the birds by means of rotary or hand dusters, puff dusters, or by sprinkling from a can as directed below.

DIRECTIONS

Use contrary to these directions may cause injury to poultry, personal injury, excessive residues, unsatisfactory control or other unintended consequences.

DIRECT APPLICATION TO POULTRY (Chickens, Turkeys, Ducks, Geese) — For the control of Northern Fowl Mite and Lice, dust birds thoroughly, especially under wings and around vent. Supplemental control can be obtained by also treating litter and housing. Normally one pound of dust will treat 30-50 birds. Repeat as necessary but not more often than weekly.

LITTER AND HOUSING TREATMENT — For control of Northern Fowl Mite, Poultry Red Mite, Lice, and Flies, apply one pound of dust per 70 square feet of surface area to walls, ceiling, floor, roasts, nests, and adjacent areas, as well as per 20 square feet of litter area. Force dust into all cracks and crevices. Repeat as necessary.

CAUTION: Keep out of the reach of children. See additional cautions on this label.

For Control of External Parasites
Contains 0.5% ® CO-RAL

ACTIVE INGREDIENT:

O,O-Diethyl O-(3-chloro-4-methyl
-2-oxo(2H)-1-benzopyran-7-yl)
phosphorothionate†

INERT INGREDIENTS

By Wt.

0.5%
99.5%

TOTAL — 100.0%

U.S. Patent No. 2,748,146.

CONTAINER DISPOSAL

Do not re-use empty container. Destroy it by burying with wastes or burning. Stay away from smoke and fumes.

OCT 14 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 20-763401

PRECAUTIONS

Do not treat birds within 10 days of vaccination or other stress influence. ²³⁴²⁻⁵⁹⁰
Avoid contamination of feed, water, and water utensils. Provide thorough ventilation while dusting. Do not use on cats.

CAUTION

Avoid inhalation of dust. Wash after handling. Do not contaminate feed or food. Keep out of reach of children. If poisoning occurs, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression. Atropine Sulfate is antidotal.

DANGER TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

E.P.A. Reg. No. 2342-590

DRAFT E

BEST DOCUMENT AVAILABLE