The sign of

ſ

Scientific Water Treatment

... othically applied

DIRECTIONS

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is compatible with virtually all corrusion inhibition additives. At use dilution it is non-corrosive to inanimate hard surfaces.

Clean heavily contaminated systems before treatment. If soap or anionic detergent is used, rinse thoroughly before charging with algaecide. Apply this product at a point in the system where uniform mixing will take place. Organic debris should be removed from the system to avoid clogging of screens and pipes.

INITIAL DOSE: 1 to 2 gallons "Aqua-Tech" TSC-901 to each 5,000 gallons of water contained in the system. Repeat until control is evident.

PERIODIC DOSE: 'J' to'3 quarts "Aqua-Tech" TSC-901 per 5,000 gallons of water every 7 days or sooner should visible growth appear.

• •

.

	ć	
AQUA-TECH		PRACTIC
		In case of or skin wi
SPECIALTY PRODUCT	TED 981 981 96/56	15 minutes Remove and
TSC-901		before re- drink a la
ALGAECIDE		or gelatin available, Avoid alco
FOR USE IN RECIRCULATIN WATER COOLING TOWERS	A C C MM Under the Fungicide on amondo registered registered	NOTE TO PH may contra
ACTIVE INGREDIENTS	10%	lavage. N
n-Alayl (60%C ₁₄ , 30%C ₁₆ , 5%C ₁₂ 5%C ₁₈) dimethyl benzyl ammonium chlorides	2. 5%	as well as breathing needed. I controlled injection
n-Alkyl (68% ₁₂ , 32%C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5%	drug. STORAGE
INERT INGREDIENTS	90%	Keep conta
NET CONTENTS 43 1bs		When empty thoroughly safe place
KEEP OUT OF REACH OF C	HILDREN	not re-use
DANGER		water, foo Open dumpi
Causes severe eye and skin damag get in eyes, on skin or on cloth goggles or face shield and rubbe	hing. Wear er gloves	This pestic discharge (
when handling. Avoid contamination of food. Harmful or fatal if swallowed. See side panel at right for practical treatment		



4Ĵ

TECHNICAL 114 South Coli

forage

and additional precautionary statements.


* * •

EPA REG. NO. 9861-5

EPA EST. NO. 9861-GA-1

ð;

4



ive to

of water

eat until

e growth

PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, promptly drink a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large amounts of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate druq.

STORAGE & DISPOSAL

Keep container closed when not in use. When empty, container should be rinsed thoroughly with water and discarded in a safe place away from water supplies. Do not re-use container. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or

public waters. Do not contaminate water by cleaning of equipment or disposal of waste.

TECHNICAL SPECIALTIES CORPORATION Serving the Heart of Dinie 114 South Columbia Drive / Decatur, Georgia 30030 Telephone (404) 378-1403

30

÷.

