

The sign of Scientific Water Treatment

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE & DISPOSAL

Store only in the tightly closed original container in a secure area that is inaccessible to children. Keep this product from freezing.

PROHIBITIONS

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

PRODUCT DESCRIPTION

TSC-912 is an effective sanitizer, disinfectant, and deodorizer when used at the recommended dilution for each application. When used as directed, this product mixes with water to form clear stable use solutions that are noncorrosive and nonstaining to most common metals, plastics and tile.

This product is recommended for use in hospitals, dairies, food processing plants, meat plants, restaurants, and in any other commercial and industrial facilities where the results indicated under specific "Directions for Use" are desired.

When used as a sanitizer, food contact surfaces, equipment, and utensils can be air dried without a potable water rinse after immersion in a solution of one ounce per four gallons water.

SEE RIGHT PANEL FOR SPECIFIC APPLICATIONS

...ethically applied

ACCEPTED

AUG 07 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act or amended, for the pesticide registered under EPA Reg. No. 9861-6

AQUA-TECH

SPECIALTY PRODUCT

TSC-912

SANITIZER-DISINFECTANT-DEODORIZER FOR COMMERCIAL, INDUSTRIAL OR MEDICAL USE

ONLY FOR SALE TO, USE & STORAGE
BY SERVICE OR MAINTENANCE PERSONS

ACTIVE INGREDIENTS 10%
Alkyl (C₁₂, 50%, C₁₂, 40%, C₁₆, 10%)
dimethyl benzyl ammonium chloride

INERT INGREDIENTS 90%

TOTAL INGREDIENTS 100%

NET CONTENTS U.S. Gallons 8.25 lbs/gallon

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive. Causes eye damage and skin irritation. Harmful if swallowed. See side panel at left for other precautionary statements.

PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. If swallowed, promptly drink a large quantity of milk, raw egg whites, gelatin solution or, if these are not available, drink a large quantity of water. Avoid alcohol. Call a physician at once.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 9861-6
EPA Est. No. 9861 GA 1

BATCH NO. ---



TECHNICAL SPECIALTIES CORPORATION

250 Arizona Ave., NE, Atlanta, Georgia 30307
Telephone 1 (404) 378-1403

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATIONS

PREPARE FRESH SOLUTIONS DAILY
OR MORE OFTEN IF THEY BECOME
DILUTED, SOILED OR TURBID

SANITIZATION OF FOOD CONTACT SURFACES: Scrape or flush away gross soils and clean with a suitable detergent. Rinse thoroughly with potable water. Then apply a sanitizing treatment of one ounce of TSC-912 in four gallons of water (200 ppm active sanitizer). The sanitizing treatment may be applied by immersion, flooding, flushing, spraying, or with a clean cloth or mop. All surfaces must be thoroughly wet for one to two minutes for proper sanitization. Allow treated items to drain thoroughly and air dry. Do not use a towel. No rinsing is required. Where possible, invert treated items (glassware, dishes, utensils, milk cans, etc.) and let them drain and air dry on a clean surface.

FLANK AND UDDER WASHING: Use one ounce TSC-912 per four gallons water. Use a separate clean towel for each cow. Never dip a used towel back into the disinfectant solution. Prepare a fresh solution for each milking. Prepare solution in noncorrodible container (stainless steel or plastic). To prevent residues in milk, allow udder to air dry or dry with a clean towel before attaching to milker.

This product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 700 ppm of hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergent Sanitizers -- "Official Method".

DISINFECTION IN HOSPITALS, RESTAURANTS, AND PUBLIC ROOMS: This product may be used on floors, walls, woodwork, bed frames, furnishings and equipment. Types of surfaces suitable for disinfection include glass, smooth metal, washable painted wood or metal, and similar nonporous hard smooth surfaces.

Always preclean surfaces with suitable detergent and rinse well with water before disinfection. After cleaning, apply a solution of one ounce TSC-912 per gallon of water for usual disinfecting applications. Apply with a clean mop or sponge, or with a mechanical spraying device. Surfaces must remain moist for at least ten minutes to assure proper germicidal action. Food contact surfaces that are treated with this concentration must be rinsed with potable water before reuse.

This disinfectant is effective against *Pseudomonas aeruginosa* PRD-10, *Salmonella choleraesuis* ATCC 10708, *Staphylococcus aureus* ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for precleaned nonporous hard surfaces, and it is an effective virucide against influenza virus, Type A Brazil.

For disinfecting contagious disease areas, use a solution of one and one-half ounces TSC-912 per gallon of water.

NOTE: This product has not been tested for effectiveness against *Mycobacterium tuberculosis*, and must not be relied upon when a tuberculocidal product is desired.

DEODORIZING GARBAGE HANDLING EQUIPMENT: Preclean with a suitable detergent and rinse well. Then apply a wetting solution of two ounces TSC-912 per gallon of water.

BEST AVAILABLE COPY