

One pre-emergent application in spring or fall controls crabgrass and knotweed for a full season. Controls nimblewill with summer post-emergent applications.

DIRECTIONS

For use on home and industrial lawns, parks and golf courses.

CRABGRASS CONTROL

Spring application must be made before crabgrass seed germinates, usually March 15 to June 1, depending on weather conditions.

Apply in accordance with the application chart. Fall application should be made between October 1 and December 1 for control the following season.

Apply in accordance with application chart.

KNOTWEED CONTROL

Apply in fall, late winter or early spring before knotweed emerges.

Apply in accordance with application chart.

NIMBLEWILL (Muhlenbergia) CONTROL

Apply in May or June with repeat application one month later.

Use in accordance with application chart, but DO NOT water in.

This is a post-emergence application and the effectiveness depends on the amount of spray left on the nimblewill foliage.

U.S.D.A. Reg. No. 9866 4

**RHODES CHEMICAL COMPANY
NIMBLEKNOT**

Contains Zytron

Active Ingredient:

0-(2-4-dichlorophenyl)0-methyl
isopropylphoramidothioate*..... 35.0%

Inert ingredients:..... 65.0%

Total Ingredients:.....100.0%

Contains three pounds active
ingredient per gallon.

CAUTION

Harmful if swallowed. DO NOT
take internally.

Keep out of reach of children.

See other precautions on the
side/back panel.

For control of crabgrass
knotweed and nimblewill in
established turf.

Contents -

RHODES CHEMICAL CO., INC.
600 Peach Street
Lincoln, Nebraska

APPLICATION CHART

AREA TO BE COVERED	NIMBLEKNOT NECESSARY	SUGGESTED WATER RATES
1000 sq. ft.	1 pint	5 gallons
2000 sq. ft.	1 quart	10 gallons
8000 sq. ft.	1 gallon	40 gallons
1 acre	5 gallons	200 gallons

For best results, water area after treatment for crabgrass and knotweed. DO NOT water after application for nimblewill.

CAUTION

HARMFUL IF SWALLOWED. Do not take internally. Avoid contact with eyes, skin or clothing. In case of eye contact, flush with plenty of water. If irritation persists or develops, get medical attention. Avoid contamination of food-stuffs, feed and fish ponds. Keep away from heat and open flame. Keep container closed.

This product is toxic to fish. Keep out of lakes, streams or ponds. DO NOT contaminate water by cleaning of equipment, or disposal of wastes.

NOTE TO PHYSICIAN: Prolonged careless use may lead to symptoms due to cholinesterase depression. Atropine is antidotal.

USE

DO NOT use on bentgrass or narrow-leaf fescue. DO NOT seed areas in spring after treatment with Nimbleknot the preceding fall or that spring. Area may be seeded the following fall. New grass may be treated after reaching 1-2 inches in height.

COMBUSTIBLE LIQUID

Disclaimer - Seller makes no Warranty of any kind, expressed or implied, concerning the use of this product. Buyer assumes all risks of use or handling when such use or handling is contrary to label instructions.

U.S. Patent No. 2,552,574

