ROACHES, WATERBUGS, SCORPIONS, SILVERPISH,

SPIDERS AND CRICKERS.

Dilute 1 quart Maneo 545 with 6 gallons of water (25 solution). Brush or spray cracks and creviese, basebeards, storage areas and other hiding places where they will crash when they came out of hiding. Spray as a course wet spray or brush with a paint brush. Application should be repeated as often as necessary to maintain effective control.

around door sills and window frames where posts may enter. Treat the openings around water pipes, heat duets, electrical outlets and baseboards where ants some into rooms from wall spaces and partitions. Application should be repeated as often as necessary to maintain effective control.

H OUSEPLIES, WASPS, MOSCOTTOES.

Indoors - Spray or brush surfaces such as doors, around windows and surfaces that are frequented by these posts. Repeat application as necessary.

Outdoors - Spray or brush on window screens, window frames, doorsills, and areas of poreives where insects tend to alight or congregate. Repeat application often. Wespe nestarched be sprayed at night after all insects have returned.

MOTICE; Hanco Manufacturing Company does not make any representation or warranty, express or implied, concerning this material, except that it is of standard quality. Hanco Minufacturing Company shall not be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage or use of this material. The buyer accepts and uses this material on these conditions.

## Fig.C.) 545 CHLORDANE CONCENTRATE

Contains & lbs. Chlordene Per Cellon

Potrologn Distillate..... 50.0%

INDET INGREDIETS:..... 50.0%

contains 27% octachlore-4,7-methane tetrahydroindane and 18% related

CAUTION

Loop but Of Boach Of Children See Caution Statement: Mide Panel

USDA Bog Bo. 9931-X

of termites around she Tremch foundations to and apply i gallon of and apply i gallon of and apply i gallon of the cot. For deeper by you do the boles top of gaste control remain soil thereughly and a librated solution to a the poil that reason to placed in the tremch.

CAUT ION

Harmful if avallowed.

causes temic symptoms
dusts or oppey mists.

with skin, week with

Avoid contemisation of
Do not pour, store or
Do not sucke while of
KERP OUR OF DELOG OF

ACCEPTED

2-17-69.

FUNDER THE E. .. MALLICIDE FUNDECIDE AND ROMANDE MEDITORS OF MEDIT

43 .

. Milion. W

IS, SILVERPISH,

h or epray rds, storage s where they s of hiding. or break with hould be reto maintain

frames where openings around etrical outlets me into rooms one. Application as necessary to

Ffaces such as Pfaces that are opent application

on window screens, d areas of porches or congregate.

sps nestaraheuld

Company Aces not arranty, express material, expent ty. Hameo Manufas-held responsible al injury or e of loss result-se or use of opts and uses this

## Fig.C.C.) 545 CHLORDANE CONCENTRATE

Contains & lbs. Chlordane Per Gallon

· VOLIAR INCUMPTIMAS!

Potroloum Distillate..... 50.0%
INDET INGREDIENTS:..... 5.0%

\*\* totrahydroindane and 18% related

GAUT ION


Hermfel if Smallowed Keep Sut Of Beach Of Guildren See Caution Statement Alde Panel

USDA Bog No. 9931-X

An effective residual control TEXALE: of termitee around shallow foundations. Trench foundations to a depth of 2 feet and apply 1 mellon of solution(1 pint to 2 quarte of mace to in 5 millone of water - is to 25 Salution) per linear foot. For deeper foundations a trench 30 inches does should be provided, Do not the below top of footings. For adoquate control remove at least half of the soil thoroughly and apply con-half the diluted selution to this lessened soil. Apply the remainder of the solution to the soil that cas removed as it is replaced in the treach.

## CAUT ION

Harmful if swellowed. Contact with skin courses texts symptoms. Avoid breathing dasts or sprey mists. In case of contact with skin, week with scap and veter. Avoid contamination of food and foodstuff. Do not pour, others or use near flame. Do not make while oproying.



hu " "

Cameraman's Note Poor Copy