
## [1074-7]An effective insecticide for rapid control of files found in homes, institutions and buildings. Food should be removed or covered up during treatment. All Food Processing surfaces should be covered during treatment or thoroughly cleaned before using. When using as a space spray in these areas, apply only when plant is not in operation. Pyrenone-Type Household Fly spray kills on contact the exposed stages of flies, mosquitoes, gnats.

For best results, use in a good spray or atomizer adjusted to deliver a fine mist.

Treat infested areas thoroughly and repeat applications as needed. Whenever possible keep doors and windows closed for 10 minutes after spraying. Do not remain in treated areas.

Ventilate the area after treatment is completed.

\*Reg. U. S. Patent Office FMC



**N. . I CONTENTS** 

SO- PRO- CO KILL FLY

PYRENONE \* TYPE HOUSEHOLD FLY SPRAY

ACTIVE INGREDIENTS: Piperonyl Butoxide Technical\* Pyrethrins Petroleum Oil

\*\* Equivalent to 0.20% of (Buty (6-Propylpiperonyl) ether, an of related compounds.

## CAUTION

KEEP OUT OF REACH OF CH SEE CAUTION ON SIDE P

EPA REG. NO. 1074-7

SOUTHERN PRODUCTS CO 1301 Heistan Place Memphis, Temesse

	Use in Homes, Institutions, Food Plants and Public Buildings.
100% ** 0.25% 0.03% 9%72%	In the control of flying insects, flies, mosquitoes, gnats, direct the spray toward the upper portion of the enclosure and fill the atmos- phere with mist, using 2 to 3 ounces to each 1,000 cubic feet of space.
tylcarbityl <b>)</b> nd to <b>0.0</b> 5%	CAUTION: Harmful if Swallowed!
HILDREN PANEL	Contains Petroleum Distilates. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.
	Do not use, pour, spill, or store near heat or open flame.
OMPANY	Remove pets, birds and cover fish aquariums before spraying.
see	<ul> <li>FOR</li> <li>INDUST RIAL USE</li> <li>ONLY</li> </ul>