

DIRECTIONS

FLIES... Use 1 part Malathion 57 with 50 parts deodorized kerosene or water to prepare sprays. Spray in and around buildings which house domestic animals, around yards and houses, on fences, manure piles and garbage cans. Do not use in dwellings and remove livestock from stables before spraying interiors. Repeat application as required.

HOUSEHOLD INSECTS...ROACHES, ANTS, CRICKETS, SPIDERS, SILVERFISH.... Prepare a spray by mixing 1 part Malathion 57 to 50 parts water or deodorized kerosene. Apply by means of a coarse spray, or paint brush to window sills, baseboards, drainboards, under sinks, stoves, cracks and crevices, and to other areas frequented by insects. Avoid contamination of food, utensils, milk milk equipment, and water. Repeat application as necessary.

NOTICE... Southern Products Company makes no warranty, express or implied, concerning this material except that it conforms to the chemical description on the label. Southern Products Company shall not be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage or use of this material. The buyer assumes all risk and liability therefrom and accepts and uses this material on these conditions.

NET CONTENTS

50-PRO-CO

Malathion

57

ACTIVE INGREDIENTS:

Malathion
Aromatic petroleum derivative solvent

OTHER INGREDIENTS

10.0 Grams of Disinfectant of (Other materials)

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE CAUTION STATEMENT ON SIDE PANEL

SOUTHERN PRODUCTS COMPANY

DIRECTIONS CONT.

MOQUITTOES... For control of adult mosquitoes on pasture and range-lands and uncultivated lands, apply Malathion 57 at the rate of 1/2 to 1 1/2 pints per acre in a suitable carrier (water or oil) with a mist blower, ground fogger, or aircraft. Repeat application as necessary. Contaminated fish bearing waters at a rate of application of 1 or 1 1/2 pints per acre will kill fish.

NOTICE TO PHYSICIANS... MALATHION upon repeated, prolonged, careless use, may cause cholinesterase inhibition. Atropine is antidotal.

CAUTION

Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin, wash thoroughly after using. Avoid contamination of feed and feedstuffs. Do not use in milk room or on animals. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons property or crops or cause residues in excess of official tolerances.

Highly toxic to fish. Do not contaminate any body of water, by direct application, cleaning of equipment or disposal of wastes and containers.



ACCEPTED
FEB 15 1957
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND REPELLENT ACT FOR ECONOMIC POISON REGISTRATION UNDER NO. 1077-10 SUBJECT TO ATTACHED COMMENTS.

Cameraman's Note
Poor Copy

3(43)

DIRECTIONS FOR USE:

To Kill Flies, Mosquitoes, Wasps and
Flying Moths Outdoors: ~~VIII~~ OUTDOORS

Dilute one pint WILD with water to make one gallon. For outdoors use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors or windows or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.

~~TO KILL FLEAS AND ANTS OUTDOORS: VIII OUTDOORS~~

Dilute one pint WILD with water to make one gallon. For treatment of localized infestations of these insects in outdoor areas where there is no vegetation. Spray infested areas thoroughly. For Ants, thoroughly wet sills and runways. Repeat application as infestations warrant and as reinfestation occurs.

CAUTION

HARMFUL IF SWALLOWED. AVOID PROLONGED INHALATION AND SKIN CONTACT. WASH THOROUGHLY AFTER USING.
DO NOT USE ON HOUSEHOLD PETS OR HUMANS.
DO NOT USE NEAR FIRE, OR OPEN FLAME.
KEEP CONTAINER TIGHTLY CLOSED. AVOID CONTACT WITH EYES, SKIN AND CLOTHING.

DO NOT USE AS A SPACE SPRAY. DO NOT USE ON FEED OR FOOD CROPS.

