

DIRECTIONS

FLY CONTROL... Use 1 part Malathion 20 with 10 parts deodorized kerosene to make a spray containing 2% Malathion. Apply as a spray to all places where flies rest or congregate, inside and outside dairy barns, horse and sheep barns, poultry houses, and corrals. Eliminate fly breeding sites such as manure piles, garbage heaps and city dumps. Use 1 part Malathion 20 with 10 parts deodorized kerosene and apply as a spray. Make thorough and complete coverage. Repeat application as necessary.

FOGGING APPLICATION

Use 1 part Malathion 20 with 10 parts deodorized kerosene for use in standard fogging machines. Completely envelop area to be treated in accordance with the equipment manufacturer's recommendations. For mosquitoes use a coarse fog. Pay particular attention to all zones of stagnation, ponds, etc. For flies envelop in a fine fog. Repeat applications as necessary.

NOTICE TO PHYSICIANS

Malathion upon repeated, prolonged, careless use, may cause cholinesterase inhibition. Atropine is antidotal.

ACCEPTED
9931-27
MAY 29 1968
UNDER THE FEDERAL INSECTICIDE
ACT AND THE FEDERAL FOOD, DRUG,
AND COSMETIC ACT, REGISTERED
EPA REG. NO. 1074-30 SUBJECT
ATTACHED COMMENTS.

CONTENTS **GALLONS**

SO-PRO-CO

Malathion 20

ACTIVE INGREDIENT
Malathion*20.0%
Xylene.....30.0%

*(O,O-dimethyl dithiophosphate
of diethyl mercaptosuccinate)

CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE CAUTION STATEMENT ON SIDE PANEL

SO-PRO-CO

NOTICE: Southern Products Co. makes no warranty, express or implied, concerning this material except that it conforms to the chemical description on the label. Southern Products Co. shall not be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage or use of this material. The buyer assumes all risk and liability therefrom and accepts and uses this material on these conditions.

CAUTION

Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin, wash thoroughly after using.

Avoid contamination of feed and feedstuffs. Do not use in milk rooms or on animals. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops or cause residues in excess of official tolerances.

Toxic to fish. Do not contaminate any body of water, by direct application, cleaning of equipment or disposal of wastes and containers.

Camerman's Note
Poor Copy