NET CONTENTS

GALLONS

USE DIRECTIONS

Thousehold and Hospital use on thours walls and woodwork.

Remove all gross filth, dirt and heavy soils prior to application of the disinfectant.

Wet surfaces thoroughly with disinfectant.

SANITIZING SOLUTION

One ounce SG 250 to one gallon of water.

DISINFECTING SOLUTION

For household, broad spectrum disinfecting use 3 Oz. SG 250 to $1\frac{1}{4}$ gallons water.

HOSPITALS

Use 3½ ounces to ½ gallons of water as hospital disinfectant. Used as directed will be effective against pseudomonas aeruginosa PRD 10-

FOOD PROCESSING EQUIPMENT

ly, then apply sanitizing solution. One ounce SG 250 per 1 gallon of water. No rinse.

DAIRIES

Clean and rinse equipment thoroughly, then apply sanitizing solution containing 1 oz. SG 250 to 1 gallon of water (195 ppm). No rinse required. Follow recommendations of Local Health Board.

SO-PRO-CO 5 G 2 5 0

Dilute Before Using

CONCENTRATE

ACTIVE INGREDIENTS:

n—Alkyl (60% C_{13} , 30% C_{16} , 5% C_{12}	
5% C ₁₈) dimethyl benzyl ammonium chlorides.	
$n-4$ (68% C_{12} , 32% C_{14}) dimethyl ethylbenzyl	
ammonium chlorides	1.25%
INERT INGREDIENTS	97.50%
	100.00%


WARNING

Keep out of reach of children. See other warning on side panel.

EPA Reg. No. 1074-34

SOUTHERN PRODUCTS COMPANY

1301 Heistan Pl. S. 6th & Davidson St. Memphis, Tenn. Nashville, Tenn.



RESTAURANT AND BAR

Rinse Dishes, glassware, Silverware, Cooking Utensils, Wash with soap or synthetic detergent, rinse thoroughy and immerse in a solution containing 1 oz. SG 250 to 1 gallon of water (195 ppm)

RINSE EMPTY CONTAINER THO-ROUGHLY WITH WATER AND DIS CARD.

WARNING — Keep out of reach of Children. Do not get in eyes, skin. or on clothing. Causes severe eye irritation. Causes skin irritation. In case of contact, wash immediately with plenty of water. For eyes get medical attention.

FIRST AID

If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.