

UNDER THE FEDERAL
FUNGICIDE AND
HERBICIDE ACT
FOR ECONOMIC PEST CONTROL REGISTERED
UNDER NO.

PREPARATION OF SOLUTIONS

Parts per million of active ingredient	Parts per million of product	Volume of product per gallon of water
100	100	1.0
200	200	1.0
300	300	1.0
400	400	1.0
500	500	1.0
600	600	1.0
700	700	1.0
800	800	1.0
900	900	1.0
1000	1000	1.0



CHEMICAL COMPANY

PINK

DIRECTIONS FOR USE OF EXSOL-CHLOR ON FARM

Washing and disinfecting cans, pails, and equipment

1. Right after milking, rinse all utensils thoroughly with fresh cold water.
2. Brush utensils thoroughly with warm water and soapless cleaner, and rinse with fresh clean water.
3. Prepare Exsol-Chlor disinfectant solution of 0.2-5.0 P.P.M. water.
4. Just before milking, rinse the cans, pails, and utensils with Exsol-Chlor solution. Use this solution for where the milk is to be bottled, bottled, or milked.

MILKING MACHINES

Wash the milking machine thoroughly with warm water and soapless cleaner. Rinse with fresh clean water. Prepare Exsol-Chlor disinfectant solution of 0.2-5.0 P.P.M. water. Use this solution for where the milk is to be bottled, bottled, or milked.

Wash the milking machine thoroughly with warm water and soapless cleaner. Rinse with fresh clean water. Prepare Exsol-Chlor disinfectant solution of 0.2-5.0 P.P.M. water. Use this solution for where the milk is to be bottled, bottled, or milked.

DISINFECTING

Wash the area thoroughly with warm water and soapless cleaner. Rinse with fresh clean water. Prepare Exsol-Chlor disinfectant solution of 0.2-5.0 P.P.M. water. Use this solution for where the milk is to be bottled, bottled, or milked.

A BACTERICIDE - DISINFECTANT -
DEODORANT - WATER-SOFTENER

COMPOSITION:

Active ingredients: Sodium Hypochlorite (100-250)
Sodium Phosphate (100-1000)
Inert ingredients: Sodium Chloride (100-1000)

NA PHOSPHATE

Note: Check with local health board regarding regulations required. In most cases, the concentration should be from 100-200 P.P.M. available chlorine, never under 50 P.P.M.

DO NOT USE ON ALUMINUM

DISHES AND GLASSWARE SHOULD FIRST BE CLEANED WITH AN EFFICIENT CLEANSING AGENT

DANGER!

KEEP OUT REACH OF CHILDREN!

WARNING: Strong alkali, contains trisodium phosphate. May cause burns or damage to the eyes. Avoid getting on skin or in eyes. Avoid inhalation of dust. If contact with skin occurs, flush with water. Avoid contamination of food.

KEEP IN A COOL PLACE

DIRECTIONS FOR HOUSEHOLD

To disinfect dishes, glasses & cleaning jars. Clean thoroughly, then rinse in fresh water. Prepare Exsol-Chlor disinfectant solution of 0.2-5.0 P.P.M. water. Use this solution for where the milk is to be bottled, bottled, or milked.


DISINFECTING

Wash the area thoroughly with warm water and soapless cleaner. Rinse with fresh clean water. Prepare Exsol-Chlor disinfectant solution of 0.2-5.0 P.P.M. water. Use this solution for where the milk is to be bottled, bottled, or milked.

DISINFECTING

Wash the area thoroughly with warm water and soapless cleaner. Rinse with fresh clean water. Prepare Exsol-Chlor disinfectant solution of 0.2-5.0 P.P.M. water. Use this solution for where the milk is to be bottled, bottled, or milked.

EXSL CHEMICAL CO. 630 WALSH AVE., SANTA CLARA, CALIF. 95050



BLACK PRINTING ON GREEN TAG

ACCEPTED
MAR 23 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. *10044-1* SUBJECT
TO ATTACHED COMMENTS.

10044-1