9481-7

Precautionary Statements
Hazards to Humans and domestic animals

DANGER

Keep out of reach of children.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.
OPEN DRAINS IS PROHIBITED
DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

P E S T I C I D E OR RINSATE THAT CANNOT BE USED OR REPROCESSED SHOULD BE DISPOSED ON IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING OR RECONDITIONING, OR PUNCTURE AND DISPOSE IN A SANITARY LANDFILL. OR BURY IN A SAFE PLACE FOR PESTICIDE CONTAINERS OR BURY IN A SAFE PLACE

BURNING

DO NOT BURN. FEDERAL, STATE, PROVINCIAL OR LOCAL REGULATIONS MAY PROHIBIT OPEN BURNING. CONSULT YOUR LOCAL SOLID WASTE AUTHORITY FOR ALTERNATIVE DISPOSAL PROCEDURES WHICH MAY BE AVAILABLE IN YOUR AREA.

E-SAN 205

Disinfectant-Sanitizer-Fungicide-Deodorizer with Organic Soil Tolerance for Hospital, Institutional Industrial, School, Dairy and Other Farm Use

Active Ingredients

Dimethyl benzyl ammonium chloride	1.00%
Dimethyl benzyl ammonium chloride	2.00%
Dimethyl benzyl ammonium chloride	1.25%
Dimethyl benzyl ammonium chloride	1.25%
Total Quaternary Ammonium Chloride	5.50%
Inert Ingredients	94.50%
	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact immediately wash the skin or eyes with a gentle stream of water for about 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink a glass of water. Induce vomiting by tickling back of throat. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REGISTRATION NO. [illegible]

EPA ESTABLISHMENT NO. [illegible]

NET CONTENTS 1 GALLON

MANUFACTURED BY ETIK Chemical Co. [illegible] Avenue, Santa Clara, California [illegible]

FOR SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

Directions for Use GENERAL CLASSIFICATION

[illegible]

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions For disinfecting hard, non-porous surfaces such as floors and walls, bathroom fixtures, toilets, garbage cans and other hard non-porous surfaces.

[illegible] E 645 [illegible] in 1.5 gallons water. Against Staphylococcus aureus and Salmonella choleraesuis [illegible] E 645 [illegible] against Pseudomonas aeruginosa. Staphylococcus aureus and Salmonella choleraesuis in the presence of 5% [illegible] when evaluated by the AOAC use-dilution test.

Disinfection in Institutions, Industry and Schools Add 2 oz. of E 645 [illegible] to 1.5 gallons of water. At 0.5 oz. to 2.0 oz. per gallon of water use level, the fungicidal effect contained in E 645 [illegible] in the presence of 5% [illegible] against Trichophyton mentagrophytes has been shown using the AOAC Fungicidal Test.

Disinfection of Dairy Tools Prepare a fresh solution by combining [illegible] and let stand for [illegible] minutes. Rinse with potable water.

Disinfection of Poultry Equipment, Animal Buildings and Kennels Pour a concentrate solution by [illegible] the [illegible] and other [illegible] equipment. Equipment can be disinfected while [illegible] by adding [illegible] of 2 oz. E 645 [illegible] to 1.5 gallons of water. Small items should be immersed and [illegible] thoroughly.

Prior to disinfection of all [illegible] other animals and their feeds must be removed and the premises [illegible] including all [illegible] and other fittings and additional equipment. Remove all litter and droppings from floors, walls and other surfaces and expose to [illegible] by sunlight or other [illegible].

After disinfection, [illegible] buildings, coops and other closed spaces as [illegible] poultry or other animals or property [illegible] for [illegible] hours.

[illegible]

[illegible]