

**A LONG LASTING BROAD SPECTRUM BACTERICIDE,
SLIMICIDE, AND FUNGICIDE FOR THE PRESERVATION
OF METAL CUTTING FLUIDS AND COOLANTS**

ACTIVE INGREDIENT:
Hexahydro — 1, 3, 5, — tris (2—hydroxethyl) — s — triazine 78.5%

INERT INGREDIENTS: 21.5%

CAUTION: Keep out of reach of children.

GROTAN CONCENTRATE is harmful if swallowed. Avoid skin contact and splashing in eyes. Wash eyes with large amounts of water if exposed. If irritation persists, get medical attention.


U.S.D.A. Reg. No. 10,000-1

HALLEMITE
LEHN & FINK INDUSTRIAL PRODUCTS DIVISION
OF STERLING DRUG INC.

OFFICES — 225 SUMMIT AVE.
MONTVALE, NEW JERSEY 07645

PLANT — 4934 LEWIS AVE.
TOLEDO, OHIO 43612


NET CONTENTS 10 LBS.



DIRECTIONS:

**SOLUBLE EMULSION AND
SYNTHETIC CUTTING
FLUIDS**

1. For best results, drain and clean the system before adding fresh cutting fluid.
2. Add 0.15% of GRO-TAN to the use dilution. (1.2 pints per 100 gallons of diluted cutting fluid).
3. 0.15% of GROTAN should be added to the use dilution of the make-up fluid.



**A LONG LASTING BROAD SPECTRUM BACTERICIDE,
SLIMICIDE, AND FUNGICIDE FOR THE PRESERVATION
OF METAL CUTTING FLUIDS AND COOLANTS**

ACTIVE INGREDIENT:
Hexahydro — 1, 3, 5, — tris (2—hydroxethyl) — s — triazine 78.5%

INERT INGREDIENTS: 21.5%

CAUTION: Keep out of reach of children.

GROTAN CONCENTRATE is harmful if swallowed. Avoid skin contact and splashing in eyes. Wash eyes with large amounts of water if exposed. If irritation persists, get medical attention.

U.S.D.A. Reg. No. 10,000-1

HALLEMITE

**LEHN & FINK INDUSTRIAL PRODUCTS DIVISION
OF STERLING DRUG INC.**

OFFICES — 225 SUMMIT AVE.
MONTVALE, NEW JERSEY 07645


PLANT — 4934 LEWIS AVE.
TOLEDO, OHIO 43512


NET CONTENTS 10 LBS.

DIRECTIONS:

**SOLUBLE EMULSION AND
SYNTHETIC CUTTING
FLUIDS**

1. For best results, drain and clean the system before adding fresh cutting fluid.
2. Add 0.15% of GRO-TAN to the use dilution. (1.2 pints per 100 gallons of diluted cutting fluid).
3. 0.15% of GROTAN should be added to the use dilution of the make-up fluid.





**A LONG LASTING BROAD SPECTRUM BACTERICIDE,
SLIMICIDE, AND FUNGICIDE FOR THE PRESERVATION
OF METAL CUTTING FLUIDS AND COOLANTS**

ACTIVE INGREDIENT:
Hexahydro — 1, 3, 5, — tris (2—hydroxethyl) — s — triazine78.5%

INERT INGREDIENTS:21.5%

CAUTION: Keep out of reach of children.

GROTAN CONCENTRATE is harmful if swallowed. Avoid skin contact and splash-
ing in eyes. Wash eyes with large amounts of water if exposed. If irritation per-
sists, get medical attention.

U.S.D.A. Reg. No. 10,000-1

HALLEMITE

**LEHN & FINK INDUSTRIAL PRODUCTS DIVISION
OF STERLING DRUG INC.**

**OFFICES — 225 SUMMIT AVE.
MONTVALE, NEW JERSEY 07645**


**PLANT — 4934 LEWIS AVE.
TOLEDO, OHIO 43612**


NET CONTENTS 10 LBS.

DIRECTIONS:

**SOLUBLE EMULSION AND
SYNTHETIC CUTTING
FLUIDS**

1. For best results, drain and clean the system before adding fresh cutting fluid.
2. Add 0.15% of GRO-TAN to the use dilution. (1.2 pints per 100 gallons of diluted cutting fluid).
3. 0.15% of GROTAN should be added to the use dilution of the make-up fluid.





**A LONG LASTING BROAD SPECTRUM BACTERICIDE,
SLIMICIDE, AND FUNGICIDE FOR THE PRESERVATION
OF METAL CUTTING FLUIDS AND COOLANTS**

ACTIVE INGREDIENT:
Hexahydro — 1, 3, 5, — tris (2—hydroxethyl) — s — triazine 78.5%

INERT INGREDIENTS: 21.5%

CAUTION: Keep out of reach of children.

GROTAN CONCENTRATE is harmful if swallowed. Avoid skin contact and splash-
ing in eyes. Wash eyes with large amounts of water if exposed. If irritation per-
sists, get medical attention.

U.S.D.A. Reg. No. 10,000-1

HALLEMITE

**LEHN & FINK INDUSTRIAL PRODUCTS DIVISION
OF STERLING DRUG INC.**

OFFICES — 225 SUMMIT AVE.
MONTVALE, NEW JERSEY 07645

PLANT — 4934 LEWIS AVE.
TOLEDO, OHIO 43512

NET CONTENTS 10 LBS.

DIRECTIONS:

**SOLUBLE EMULSION AND
SYNTHETIC CUTTING
FLUIDS**

1. For best results, drain and clean the system before adding fresh cutting fluid.
2. Add 0.15% of GRO-TAN to the use dilution. (1.2 pints per 100 gallons of diluted cutting fluid).
3. 0.15% of GROTAN should be added to the use dilution of the make-up fluid.

