


# FORMALDEHYDE SOLUTION

U.S.P.



**DANGER**

**POISON**



**DANGER: KEEP OUT OF REACH OF CHILDREN.** Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Causes irritation of skin, eyes, nose, and throat. Do not breathe vapor. Avoid contact with skin, eyes, or clothing.

**ANTIDOTE: EXTERNAL:** In case of contact, flush with plenty of water for at least 15 minutes. For eyes, get medical attention.

**INTERNAL:** Give a tablespoonful of aromatic spirit of ammonia in water, then a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Give milk or white of eggs beaten with water. **CALL A PHYSICIAN.**

Directions for use as a disinfectant on inanimate objects: Dilute 1-10 with water or up to full strength and apply so as to wet all surfaces thoroughly, with surfaces likely to contact food rinse with potable water prior to use.

**ACTIVE INGREDIENT**

Formaldehyde ..... 37%


**INERT INGREDIENT** ..... 63%

(CONTAINS METHANOL 12%) ..... 100%

**EPA #10011-2**

Rinse empty container thoroughly with water and discard it.

List 1761



# FORMALDEHYDE SOLUTION

U.S.P.



**DANGER**

**POISON**



**DANGER: KEEP OUT OF REACH OF CHILDREN.** Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Causes irritation of skin, eyes, nose, and throat. Do not breathe vapor. Avoid contact with skin, eyes, or clothing.

**ANTIDOTE: EXTERNAL:** In case of contact, flush with plenty of water for at least 15 minutes. For eyes, get medical attention.

**INTERNAL:** Give a tablespoonful of aromatic spirit of ammonia in water, then a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Give milk or white of eggs beaten with water. **CALL A PHYSICIAN.**

Directions for use as a disinfectant on inanimate objects: Dilute 1-10 with water or up to full strength and apply so as to wet all surfaces thoroughly, with surfaces likely to contact food rinse with potable water prior to use.

**ACTIVE INGREDIENT**

Formaldehyde ..... 37%


**INERT INGREDIENT** ..... 63%

(CONTAINS METHANOL 12%) ..... 100%


**EPA #10011-2**

Rinse empty container thoroughly with water and discard it.

**List 1761**



**Whitworth**



Distributed by **WHITEWORTH, INC. GARDENA, CALIF. 90248**

# FORMALDEHYDE SOLUTION U.S.P.

EPA #10011-2

Rinse empty container thoroughly with water and discard it.

List 1761

Whitworth

**NET CONTENTS 1 GALLON**

# FORMALDEHYDE SOLUTION

E.S.P.



**DANGER**

**POISON**



**DANGER: KEEP OUT OF REACH OF CHILDREN.** Methanol may cause blindness. Harmful if swallowed. Vapor harmful. Causes irritation of skin, eyes, nose, and throat. Do not breathe vapor. Avoid contact with skin, eyes, or clothing.

**ANTIDOTE: EXTERNAL:** In case of contact flush with plenty of water for at least 15 minutes. For eyes, get medical attention.

**INTERNAL:** Give a tablespoonful of aromatic spirit of ammonia in water, then a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Give milk or white of eggs beaten with water. **CALL A PHYSICIAN.**

Directions for use as a disinfectant on inanimate objects: Dilute 1-10 with water or up to full strength and apply so as to wet all surfaces thoroughly, with surfaces likely to contact food rinse with potable water prior to use.

**ACTIVE INGREDIENT**

Formaldehyde ..... 37%

**INERT INGREDIENT** ..... 63%

(CONTAINS METHANOL 12%) ..... 100%

**EPA Reg. #10011-2**

Rinse empty container thoroughly with water and discard it.

List 1760



**Whitworth**

DISTRIBUTED BY WHITEWORTH, INC.  
CAREFREE, ARIZONA 85938

10011-2

**ACCEPTED**

Jan 19 1973

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO..... SUBJECT  
TO ATTACHED COMMENTS.

# FORMALDEHYDE SOLUTION



**DANGER**

U.S.P.

**POISON**



**DANGER: KEEP OUT OF REACH OF CHILDREN.** Methanol may cause blindness. Harmful if swallowed. Vapor harmful. Causes irritation of skin, eyes, nose, and throat. Do not breathe vapor. Avoid contact with skin, eyes, or clothing.

**ANTIDOTE: EXTERNAL:** In case of contact flush with plenty of water for at least 15 minutes. For eyes, get medical attention.


**INTERNAL:** Give a tablespoonful of aromatic spirit of ammonia in water, then a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Give milk or white of eggs beaten with water. **CALL A PHYSICIAN.**

Directions for use as a disinfectant on inanimate objects: Dilute 1-10 with water or up to full strength and apply so as to wet all surfaces thoroughly, with surfaces likely to contact food rinse with potable water prior to use.

ACTIVE INGREDIENT	
Formaldehyde	37%
INERT INGREDIENT	63%
(CONTAINS METHANOL 12%)	100%

EPA Reg. #10011-2

Rinse empty container thoroughly with water and discard it. List 1760



**Whitworth**

Distributed by WHITEWORTH, INC.  
GARDENA, CALIF. 90248

10011-2

ACCEPTED

Jan 19 1973

FOR THE FEDERAL INSECTICIDE AND RODENTICIDE ACT  
AND FEDERAL POISON REGISTER-  
PERIOD..... SUBJECT  
AND COMMENTS.

# FORMALDEHYDE SOLUTION

U.S.P.



10D11-2  
ACCEPTED

Jan 19 1973

RECEIVED  
NATIONAL BUREAU OF  
HEALTH SERVICES  
SUBJECT

EPA Reg. #10011-2

Rinse empty container thoroughly with water and discard it.

List 1760

Whitworth

16 FL. OZ. (1 PINT)