For use in preparing skin, needles consyringes for hypodermic injections.

ISOPROPYL ALCOHOL

N.F.

CAUTION: Do not get into eyes FOR EXTERNAL USE ONLY

For use in preparing skin, needles, or syringes for hypodermic injections. Use diluted with 10% water by volume. Make certain to clean needles with stylet and that all surfaces are contacted.

FIRST AID: Call a physician. If conscious induce vomiting by giving a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Keep patient warm. Apply artificial respiration if not breathing. Give strong tea or coffee.

> ACTIVE INGREDIENT

> > USDA Reg. #10011-3

WARNING: Keep Out of Reach of Children.





100%

List 0241

For use in preparing skin, need es or syringes for hypodermic injections.

ISOPROPYE ALCOHOL N.F.

CAUTION: Do not get into eyes FOR EXTERNAL USE ONLY

For use in preparing skin, needles, or syringes for hypodermic injections. Use diluted with 10% water by volume. Make certain to clean needles with stylet and that all surfaces are contacted.

FIRST AID: Call a physician. If conscious induce vomiting by giving a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear Keep patient warm. Apply artificial respiration if not breathing. Give strong tea or coffee

ACTIVE INGREDIENT Isopropyl Alcohol N.F. Inactive Ingredient

USDA Reg. = 10011-3

WARNING: Keep Out of Reach of Children. List 0241





99% 1% 100%

10011-3 CEPTED Ac 29/17 INFRA THE FORMAL INSECTICIDE STATUE AND RODENTICIDE ACT MARCHOISON RECENTER. STA HOLDER SUBJECT RE - TROMED COMMENTS.



FIRST AID: Call a physician. If conscious induce vomiting by giving a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Keep patient warm. Apply artificial respiration if not breathing. Give strong tea or coffee.

A(ls In



0240

USDA Reg. #10011-3

TPYL AL

99% CAUTION: Do not get into eyes FOR EXTERNAL USE ONLY

Use diluted with 10% water by volume. Make certain to clean needles with stylet and that all surfaces are contacted.

CTIVE INGREDIENT	
sopropyl Alcohol N.F.	
nactive Ingredient	
	100%

WARNING: Keep Out of Reach of Children.

Whiteworth

WHITEWORTH INC. GARDENA, CALIFORNIA (10):48

NET CONTENTS 16 FL. OZ. (1 PINT)

10011 3 χ.α. **α. τ**. . **τ**. Ν. 11. 25, 171 2 21 1 V

ISOPROPY' ALCOHOL 14 NF CAUTION DU BUT pet et er

duce vomiting by giving a tablespoontuin this the a glass of warm water and repeat until autors total s clear. Keep patient warm Apply artificial repiration if not breathing. Give strong tea or coffee

•-•



FOR EXTERNAL USE ONLY

ang an tao 🔥

FIRST AID: Car do a to a do

ACTIVE INGREDIENT Isopropyl Alcohol N.F. Inactive Ingredient

Q0.2 1% 100%

WARNING: Keep Out of Reach of Children.