

PETERSENS

Gopher-Rodent Killer V FOR RODENT CONTROL ONLY



DANGER

KEEP OUT OF REACH
OF CHILDREN

Convulsive - Poison

POISONOUS IF SWALLOWED

KEEP AWAY FROM CHILDREN
AND DOMESTIC ANIMALS

DO NOT CONTAMINATE FOOD
AND FEEDSTUFFS



Caution: Do not swallow. If swallowed, induce vomiting. If inhaled, get fresh air. If on skin, wash with soap and water. If in eyes, flush with water. If on clothing, remove and wash. If on hands, wash with soap and water. If on face, wash with soap and water. If on hair, wash with soap and water. If on shoes, wash with soap and water. If on car, wash with soap and water. If on lawn, wash with soap and water. If on garden, wash with soap and water. If on house, wash with soap and water. If on car, wash with soap and water. If on lawn, wash with soap and water. If on garden, wash with soap and water. If on house, wash with soap and water.

ENVIRONMENTAL STATEMENT

Handwritten notes and instructions, including: "Hand Wash", "Wash with soap and water", "If on skin, wash with soap and water", "If in eyes, flush with water", "If on clothing, remove and wash", "If on hands, wash with soap and water", "If on face, wash with soap and water", "If on hair, wash with soap and water", "If on shoes, wash with soap and water", "If on car, wash with soap and water", "If on lawn, wash with soap and water", "If on garden, wash with soap and water", "If on house, wash with soap and water".

DETEDSEN SEEDS

UNDER THE FEDERAL
FUNGICIDE ACT AND FC
FOR ECOSYSTEMIC POIS
UNDER FD, 16

ACCEP



POISONOUS IF SWALLOWED
KEEP AWAY FROM CHILDREN
AND DOMESTIC ANIMALS
 DO NOT CONTAMINATE FEEDS
 AND EQUIPMENT



Caution: Do not swallow. If swallowed, drink a glass of water. Have a doctor call for a table spoon of salt in a cup of water. Have a doctor call for a table spoon of salt in a cup of water. Have a doctor call for a table spoon of salt in a cup of water.

ENVIRONMENTAL HAZARD

This product is highly toxic to fish and aquatic life. Do not apply to water. Do not apply to areas where water is present. Do not apply to areas where water is present.

INSTRUCTIONS

PLAINS POCKET CORNER ... and Southern ...
Hand Application ...
Machine Application ...

NOTICE

Buyer assumes all risk of use, storage or handling of this product. Buyer agrees to read and follow directions given herewith.

Ingredient	tricycline	100%
Other Ingredients		0%
TOTAL		100%

Mfr.
PETERSEN SEEDS


10 LBS. NET WT.

ACCEPTED
 M. N. 22, 1976
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTRATION
 UNDER NO. 16, 1976-5

Plains Pocket Gophers, *Geomys bursarius* and Northern Pocket Gopher, *Thomomys talpoides*

Hand Application - Poisoning with strychnine treated bait is very effective; however, the success in poisoning depends upon accurately locating the underground burrows with a probe for proper bait placement.

The burrow usually can be located by probing several inches in front of a fan shaped mound. A level tablespoon of poisoned grain is poured through the probe hole into the burrow, and the hole then closed over. Baits need not be placed near every mound. However each separate burrow system, which may be represented by a dozen or more mounds, should be baited in at least two places. Cover opening securely with a piece of sod.



- Legend: H- horseshoe like depression; m- mound; l- lateral runway; p- probe; g- ground surface; r- main runway.

Results of the poisoning can be checked after about four days by opening the burrow with a shovel. If there is a pocket gopher still alive, it will plug the opening with dirt within a few hours.

Machine Application (burrow builder) The effectiveness of the burrow builder depends upon the gophers finding the artificial runways and the poisoned bait. Thus, the burrows should be made at a depth that will intercept the greatest number of natural gopher tunnels. Therefore, measure the depth of gopher runways and set the machine accordingly. Adjust the machine so that it rides the ground with the wheels barely packing the soil.

The artificial runways should be spaced about 25 to 35 feet apart to insure interception of the natural burrow.

The amount of bait^{per} placement required will depend upon the spacing of the bait in the runway. About one pound of bait will treat one acre.

Experience and trials with each model burrow builder will be necessary before optimum performance can be expected.

Do not reuse empty container. Destroy it by burying with wastes.