

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN 13 1994

3015453705  
17/4

Mr. Larry Zielinski  
Veatch Chemical Company  
4357 California  
St. Louis, MO 63111

Dear Mr. Zielinski:

Subject: Amendment-Label  
Home Life Roach & Ant Spray  
EPA Registration No. 10051-02  
Your Submission dated November 4, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Pesticide products intended for indoor use by the general public should be ready to use and applied from the original container such as in pump spray products, aerosols etc. This minimizes exposure to children and adults from transferring the product from one container to another for application purposes. It also prevents use of unlabeled inappropriate spray devices such as windex bottles and coffee cans that homeowners sometimes use to apply the products. Please verify that a pump spray attachment or a spray head trigger accompanies the marketing of the product for domestic use or limit its use to commercial applicators i.e. add the statement:

"For Use and Storage by Commercial Applicators"  
on the front panel of the label.

2. Delete "Home Lite" from the product label. The product is also for use in commercial sites.

3. On the front panel or under directions for use indicate the specific sites where the product is intended to be used i.e.,  
.....For Use in Homes, Motels, Hotels, Institutions, Garages,

CONCURRENCES

SYMBOL								
SURNAME	Moats							
DATE	1/13/94							

Warehouses and the Non-Food areas of Restaurants and Food Processing Plants.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager (13)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure:

**HOME**

**ROACH & ANT**

**LIFE**

**SPRAY**

**For control of Cockroaches, Ants,  
Silverfish, Spiders, Fleas, Crickets, Brown  
Dog Ticks, Flies, Mosquitoes and Wasps.**

**Active Ingredients:**

Pyrethrins.....	0.052%
*Piperonyl Butoxide, Technical.....	0.260%
Diazinon [O,O-Diethyl O-(2-Isopropyl-6- methyl-4-pyrimidinyl) phosphorothioate].....	0.500%

**Inert Ingredients:.....99.188%**

\*Equivalent to min. 0.208% (butylcarbityl) (6-propylpiperonyl) ether and 0.052% related compounds.

**PYRENONE - Registered trademark of Fairfield American Corporation.**

**Keep Out of Reach of Children**

**WARNING**

See side panel for additional precautionary statements.

**DO NOT TRANSPORT OR STORE UNDER 32 F**

**EPA EST NO. 10051-MO-1**

**EPA REG NO. 10051-2**

**NET 1 GALLON/3.785 LITERS**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated  
**JAN 13 1994**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
**10051-21**

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### INDOOR USE:

**Precautions:** Use only in well-ventilated areas. If clothing is sprayed during application, remove clothing immediately after spraying and launder before wearing again. Remove pets and cover or remove fish bowls before spraying. Do not allow children or pets to contact treated surfaces until surfaces are completely dry. Do not apply this pesticide when classrooms are in use. Do not apply this pesticide in the immediate area when occupants are present. Not for Use in USDA Meat and Poultry Plants. Do not use in food areas of food handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation (serving areas include those where prepared foods are served such as dining rooms but excludes areas where food may be prepared or held). In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

**Non-Food Areas** - Includes garbage rooms, lavatories, floor drains (to sewers), entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).

**Non-Food Areas - Spot Treatment** - As a spot treatment apply as a course low pressure fan spray to floor surface areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas, dark corners of rooms and closets, cracks and crevices, along baseboards and door sills and frames, and around garbage cans, plumbing and other utility installations, and similar areas where COCKROACHES, ANTS, SPIDERS and SILVERFISH hide. Pest driven out of hiding places should be sprayed directly. Spray ant trails, nests and point of entry. Repeat treatment as necessary.

**To Kill Carpet Beetles:** Spray edges of carpeting and under carpeting and rugs. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets and infested areas of shelving. Repeat as necessary.

**To Kill Fleas and Brown Dog Ticks:** Clean premises thoroughly before treatment. Using a course cone or fan spray, treat the entire floor and carpet area. Special attention should be given to cracks, crevices and under carpet and rug edges. Also treat animal sleeping quarters, closets, upholstered furniture (with particular attention to seams), beds, under sofas and other furniture. In animal sleeping quarters bedding should be cleaned or replaced with fresh bedding. Do not use this application in nurseries or any area where infants may sleep. Apply at the rate of approximately 1 gallon to 750 square feet (17 fl. oz. per 100 sq. ft.). To avoid reinfestation, pets must be treated simultaneously with an E.P.A. approved insecticide labeled for use on animals. Application should be repeated as necessary. Humans and pets should avoid contact with treated surfaces (rugs, upholstered furniture, etc.) for 4 hours after treatment.

**OUTDOOR USE:**

**Precautions:** When using outdoors, spray with the wind to your back. If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas thoroughly with soap and water and launder clothing before wearing again. Do not allow children or pets onto a treated area until the treated area such as grass or soil has dried.

**To Kill Flies, Mosquitoes, Small Flying Moths, Wasps:** For use only as an aid in reducing annoyance from these pests. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures or porches in garages and other places where these insects may alight or congregate.

**To Kill Fleas, Chiggers and Ants:** For treatment of localized infestation of these insects in outdoor areas, spray weeds and bushy non-crop areas around the home thoroughly. Avoid spraying desirable plants. For ants, thoroughly wet hills and runways. Repeat applications as reinfestations warrant and as reinfestation occur.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

### Containers Larger Than One Gallon:

**Pesticide Storage And Procedure:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste. Protect from freezing. Do not transport or store under 32 F.

**Pesticide Disposal:** Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Triple rinse (or Equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

### Containers One Gallon Or Less:

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets. Protect from freezing.

**Disposal:** Wrap container in several layers of newspaper and discard in trash.

# STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Contact a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

) **IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician.

**Note To Physician:** Diazinon is a organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be used, but only in conjunction with atropine.

)

.....  
.....  
.....  
.....  
.....

**WARNING**  
**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC**  
**ANIMAL**

Causes substantial but temporary eye damage. Do not get into eyes or on clothing. Wear goggles or safety glasses. Harmful if swallowed. May be absorbed through skin. May cause skin sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, consult a physician. Avoid breathing of spray mist. Avoid contact with skin or clothing. Wash thoroughly after handling and before smoking or eating. Do not allow spray to contact food, feedstuffs or utensils. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not use on household pets or humans.



## ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish and wildlife including waterfowl. Birds and waterfowl feeding or drinking on treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at applications rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming plants where they feed. Do not allow this pesticide to drift to blooming plants if bees are visiting the treatment area. Do not apply this product or allow it to drift to food crops or any desirable vegetation at any time.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.