

NOV 13 1987

Veatch Chemical Company
4357 California Avenue
St. Louis, MO 63111

Attention: Mr. Rick Veatch

Gentlemen:

Subject: Home Life Dairy Cow Spray
EPA Registration No. 10051-27

This is a followup to Mr. Edwin F. Tinsworth's letter of October 15, 1987. We have located the file for the product cited above. The last accepted label for the product dates back to 1971. Several labeling requirements that apply to all pesticides have been put in place since then.

The label for this product submitted by you through the EPA Regional Office has been reviewed. This label is acceptable subject to the following comments:

1. The Precautionary Statements on the side panel must be changed to read as follows:

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

2. A Statement of Practical Treatment must appear on the label to read as follows:

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Get medical attention immediately.
This product contains a high percentage of petroleum distillate.

16376:I:Tavano:C-1:KENCO:10/20/87:10/28/87:CB:vo:jh:rw:

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

Do not induce vomiting because of aspiration hazard, unless directed by physician.

3. Delete the statement "Do not reuse empty container. Destroy it by perforating or crushing. Fry or discard in a safe place."
4. Change the pesticide disposal statement to read:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

5. Refer to the enclosure entitled "Container Disposal Statements." The label must bear the proper container disposal statement depending on the type of container.
6. The statement "It is a violation of Federal law to use this product in a manner inconsistent with its labeling" must appear on the label directly below the "Directions For Use" heading.
7. The Confidential Statement of Formula (CSF) on file for this product must be updated. Enclosed is a blank copy of the current CSF form, which should be completed and returned. Refer to the enclosed guide for completing the CSF.

A stamped copy of this revised label is enclosed. Submit five (5) copies of the finished printed label corrected in accordance with the comments listed above before the product is released for shipment under the revised label.

Sincerely yours,



Joseph M. Tavano
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

BEST AVAILABLE COPY



1 Loco
Mule Co

DIRECTIONS:
Should be applied as a mist. Use a good hand or machine sprayer.
Dairy Cows, Cattle, Horses and Mules:
Cows should be sprayed before milking. Horses and mules should be sprayed lightly before leaving the stable. Care should be taken to spray all parts of the animal with the exception of the udder and eye regions. Apply 1 to 2 ounces of Dairy Cow Spray to each adult animal, taking care not to soak the skin or hide.

1266

DAIRY COW SPRAY

For control of House Flies, Stable or Barn Flies, Horn Flies, Fleas, Mosquitoes on Dairy Cows, Cattle, Horses, Mules, and Adult Dogs.

ACTIVE INGREDIENTS:

Pyrethrins	0.040%
*Permethrin Butoxide technical	0.320%

INERT INGREDIENTS:

Petroleum Oil	99.640%
TOTAL	100.000%

*Equivalent to 2.57% of (butylcarbinyl) (8-propylperoxy) ether and .063% of related compounds.

EPA REG. NO. 10051-10051 EPA EST. NO. 10051-27

CAUTION
KEEP OUT OF REACH OF CHILDREN.
SEE OTHER CAUTIONS ON SIDE PANEL.
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.
NET CONTENTS: 1 GAL

Chicken Mites:
Spray roost, nest and walls, paying particular attention to all cracks, crevices and other hiding places. Thorough cleaning before spraying will help in controlling mites. Repeat application until infestation is controlled.

Flies:
For fly control in barns, stables and milkrooms, close all doors, windows and spray toward ceiling until the area is filled with a mist. Keep openings closed for 10 to 15 minutes.

Fleas:
To control fleas on adult dogs, spray lightly, taking care not to soak skin or hide. Spray thoroughly sleeping quarters and other places where the infested dogs stay. Repeat as necessary. Do not spray young animals.

NOV 2 1987

10051-27

BEST AVAILABLE COPY

1 gal

STORAGE AND DISPOSAL: Pesticide disposal: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.
Container disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.

SHOULD BE USED REGULARLY TO KILL FLIES IN BARN, MILKROOMS AND POULTRY HOUSES.

CAUTION:
Harmful if swallowed. Keep out of reach of children.
Do not spray directly over milking pails or other milking equipment. Avoid inhalation.
Do not contaminate feed, milk, milk handling equipment or drinking water.
Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

NOTICE:
Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Manufactured by YEASCHKE CHEMICAL 257 California Street, Berkeley, CA 94701

Red

Black

PM #17

Gentlemen:

Subject: Home Life Dairy Cow Spray
EPA Registration No. 10051-27

This is a followup to Mr. Edwin F. Tinsworth's letter of October 15, 1987. We have located the file for the product cited above. The last accepted label for the product dates back to 1971. Several labeling requirements that apply to all pesticides have been put in place since then.

The label for this product submitted by you through the EPA Regional Office has been reviewed. This label is acceptable subject to the following comments:

1. The Precautionary Statements on the side panel must be changed to read as follows:

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

2. A Statement of Practical Treatment must appear on the label to read as follows:

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Get medical attention immediately.
This product contains a high percentage of petroleum distillate.

16376:I:Tavano:C-1:KENCO:10/20/87:10/28/87:CB:vo:jh:rw:

CONCURRENCES

SYMBOL								
SURNAME								1063
DATE								

Do not induce vomiting because of aspiration hazard, unless directed by physician.

3. Delete the statement "Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place."

4. Change the pesticide disposal statement to read:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

5. Refer to the enclosure entitled "Container Disposal Statements." The label must bear the proper container disposal statement depending on the type of container.
6. The statement "It is a violation of Federal law to use this product in a manner inconsistent with its labeling" must appear on the label directly below the "Directions For Use" heading.
7. The Confidential Statement of Formula (CSF) on file for this product must be updated. Enclosed is a blank copy of the current CSF form, which should be completed and returned. Refer to the enclosed guide for completing the CSF.

A stamped copy of this revised label is enclosed. Submit five (5) copies of the finished printed label corrected in accordance with the comments listed above before the product is released for shipment under the revised label.

Sincerely yours,



Joseph M. Tavano
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

4 each

STORAGE AND DISPOSAL: Pesticide disposal: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures. Container disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.



SHOULD BE USED REGULARLY TO KILL FLIES IN BARN, MILKROOMS AND POULTRY HOUSES.
CAUTION:
Harmful if swallowed. Keep out of reach of children.
Do not spray directly over milking pails or other milking equipment. Avoid inhalation.
Do not contaminate feed, milk, milk handling equipment or drinking water.
Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.
NOTICE:
Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

red

DAIRY COW SPRAY

For control of House Flies, Stable or Barn Flies, Horn Flies, Fleas, Mosquitoes on Dairy Cattle, Horses, Mules, and Adult Dogs.

ACTIVE INGREDIENTS:
Pyrethrins
*Permethrin Butoxide technical
INERT INGREDIENTS:
Petroleum Oil
TOTAL
*Equivalent to 25.7% of (Dumicarboxyl) (5-propylisopropyl) and 0.63% of related compounds.

Black

EPA REG. NO. 1081-1-100-1 (PM EST. 100-1)

CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON SIDE PANEL
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME
NET CONTENTS: 1 GALLON

PM F17

Manufactured by ...