

# FICAM™ W

76% WETTABLE POWDER

**INSECTICIDE  
FOR USE ONLY BY  
PROFESSIONAL APPLICATORS**

### INGREDIENT STATEMENT

ACTIVE INGREDIENT:	
2,2-dimethyl-1,3-benzodioxol-4-ol methylcarbamate <sup>1</sup>	76%
INERT INGREDIENTS:	
Total	24%
Total	100%

<sup>1</sup> Protected by U.S. Patent No. 3,736,338


EPA Reg. No. 10065-3

EPA Est.

ACCEPTED

APR 16 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for use pesticide registered under 10 C.F.R. 158.101



**WARNING  
KEEP OUT OF REACH OF CHILDREN  
HARMFUL OR FATAL IF SWALLOWED**

See side panel for precautionary measures and first aid.

Net Contents: 4.0 oz. (10 packets, each containing 0.4 oz. FICAM W)

Distributed by -

## FISONS CORPORATION

Agricultural Chemicals Division  
2 Preston Court  
Bedford, Massachusetts 01730

FICAM™ is a Trademark of FISONS LIMITED  
Manufactured in the United Kingdom for Fisons Corporation

**IMPORTANT: Read the entire Directions for Use and Warranty Notice before using this product.**

### GENERAL INFORMATION:

FICAM W is a wettable powder containing 76% by weight active ingredient which has given effective knockdown and residual control of those insects listed.

FICAM W does not damage paints, plastics, fabrics or other surfaces where water alone causes no damage.

### DIRECTIONS FOR USE

Use only according to label directions. Thoroughly wash out sprayer and strainer with water and detergent before using FICAM W.

FICAM W is intended for dilution with water for application with hand or power-operated sprayers. Do not use strainers finer than 100 mesh size. When using hand sprayers, fill with the desired volume of water, add FICAM W, close and shake before use, to insure proper suspension of the wettable powder. Shake or re-agitate sprayer before use if spraying is interrupted. Do not use this formulation with oil.

See enclosed leaflet for complete Directions For Use.

### CONDITIONS OF SALE AND WARRANTY

The Directions for Use are believed to be reliable and should be followed carefully. Fisons Corporation and the Seller make no express or implied warranty of FITNESS or of MERCHANTABILITY concerning the use of this product other than indicated on the label, and no agent of Fisons Corporation is authorized to do so. Fisons Corporation and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all risks of use, storage or handling of this material when such use, storage or handling is contrary to label instructions. Fisons Corporation and the Seller shall not be held responsible for personal injury, property damage or other damage, or other loss resulting from the handling, storage or use of this material contrary to the label instructions.

A

# FICAM™ W

76% WETTABLE POWDER

**INSECTICIDE  
FOR USE ONLY BY  
PROFESSIONAL APPLICATORS**

### INGREDIENT STATEMENT

ACTIVE INGREDIENT:	
2,2-dimethyl-1,3-benzodioxol-4-ol methylcarbamate <sup>1</sup>	76%
INERT INGREDIENTS:	
Total	24%
Total	100%

<sup>1</sup> Protected by U.S. Patent No. 3,736,338

EPA Reg. No. 10065-3

EPA Est.

SPECIMEN

**WARNING  
KEEP OUT OF REACH OF CHILDREN  
HARMFUL OR FATAL IF SWALLOWED**

See side panel for precautionary measures and first aid.

Net Contents: 4.0 oz. (10 packets, each containing 0.4 oz. FICAM W)

Distributed by -

## FISONS CORPORATION

Agricultural Chemicals Division  
2 Preston Court  
Bedford, Massachusetts 01730

FICAM™ is a Trademark of FISONS LIMITED  
Manufactured in the United Kingdom for Fisons Corporation

### WARNING

Harmful or fatal if swallowed. May be absorbed through the skin. Avoid contact with eyes, skin and clothing. If contact occurs, wash skin and clothing immediately with soap and warm water, and eyes with clean water.

Avoid breathing and working in spray mist or dust.

Wash hands and exposed skin before eating, drinking or smoking and after spraying or handling. Wash all contaminated clothing thoroughly before re-use.

Do not apply to humans, their clothing or bedding.

This product is highly toxic to bees exposed to direct treatment or to residues on plants.

Do not permit children or pets near treated surfaces until spray has dried and do not apply to areas where they are likely to make frequent contact with the deposit.

Do not store near feed or food products and do not contaminate these or food preparation surfaces, dishes, kitchen utensils and food containers with either concentrate or spray.

Do not contaminate domestic or animal water supplies while applying, when cleaning equipment or when disposing of surplus spray.

Keep out of lawn and garden fish pools, lakes, streams or ponds.

### FIRST AID

If swallowed, induce vomiting by giving soapy or strong salty water to drink. Repeat until vomit is clear. Call a physician.

**NOTE TO PHYSICIAN:** Contains anticholinesterase carbamate insecticide. In cases of overexposure, atropine sulfate -2 mg. (equivalent to 1/30 grain adult dose) should be given and repeated as necessary until fully atropinized.

### CONTAINER DISPOSAL

Do not reuse empty outer container. Traces of FICAM W in packets or other containers should be added to spray mixture. After insuring that both used packets and outer containers are empty, crush and dispose of in trash container.

# FICAM W<sup>TM</sup>

## INSECTICIDE

**FOR USE ONLY BY  
PROFESSIONAL APPLICATORS**

**INGREDIENT STATEMENT**

<b>ACTIVE INGREDIENT:</b>	
2,2-dimethyl-1,3-benzodioxol-4-ol methylcarbamate*	76%
<b>INERT INGREDIENTS:</b>	24%
<b>Total</b>	<b>100%</b>
* Protected by U.S. Patent No. 3,736,338	

EPA Reg. No. 10065-3

EPA Est.



### WARNING

**KEEP OUT REACH OF CHILDREN  
HARMFUL OR FATAL IF SWALLOWED**

See outer container label and/or outer container label insert for Use Directions, Precautions, First Aid and Warranty Notice.

Distributed by

**Fisons Corporation**  
Agricultural Chemicals Division  
2 Preston Court  
Bedford, Massachusetts 01730

FICAM<sup>TM</sup> is a Trademark of Fisons Limited  
Manufactured in the United Kingdom for Fisons Corporation

**THIS IS**

Mix 1 packet per  
Mix 2 packets per

**ONE PACKET (0.4 OZ)**

gallon of water for 0.25% ai  
gallon of water for 0.50% ai

**THIS IS 1/2 PACKET (0.2 OZ)**

Mix 1/2 packet per gallon  
of water for 0.125% ai

**THIS IS 1/2 PACKET (0.2 OZ)**

Mix 1/2 packet per gallon  
of water for 0.125% ai

**MIXING DIRECTIONS**

Insure sprayer is clean. Fill sprayer with desired volume of water, add FICAM W and agitate before use to insure proper suspension of wettable powder. Re-agitate before use if spraying is interrupted.

**MIXING DIRECTIONS**

Insure sprayer is clean. Fill sprayer with desired volume of water, add FICAM W and agitate before use to insure proper suspension of wettable powder. Re-agitate before use if spraying is interrupted.

# FICAM™ W

76% WETTABLE POWDER


**INSECTICIDE  
FOR USE ONLY BY  
PROFESSIONAL APPLICATORS**

### INGREDIENT STATEMENT

ACTIVE INGREDIENT:	
2,2-dimethyl 1,3-benzodioxol-4-ol methylcarbamate†	76%
INERT INGREDIENTS:	24%
Total	100%
† Protected by U.S. Patent No. 3,736,338	

EPA Reg. No. 10065-3

EPA Est.



## WARNING

**KEEP OUT OF REACH OF CHILDREN**

**HARMFUL OR FATAL IF SWALLOWED**

See side panel for precautionary measures and first aid.

Net Contents:

4.0 oz. (10 packets, each containing 0.4 oz. FICAM W)

Distributed by

**FISONS CORPORATION**

Agricultural Chemicals Division  
2 Preston Court  
Bedford, Massachusetts 01730

FICAM™ is a Trademark of FISONS LIMITED  
Manufactured in the United Kingdom for Fisons Corporation

### WARNING

Harmful or fatal if swallowed. May be absorbed through the skin. Avoid contact with eyes, skin and clothing. If contact occurs, wash skin and clothing immediately with soap and warm water, and eyes with clean water.

Avoid breathing and working in spray mist or dust.

Wash hands and exposed skin before eating, drinking or smoking and after spraying or handling. Wash all contaminated clothing thoroughly before re-use.

Do not apply to humans, their clothing or bedding.

This product is highly toxic to bees exposed to direct treatment or to residues on plants.

Do not permit children or pets near treated surfaces until spray has dried and do not apply to areas where they are likely to make frequent contact with the deposit.

Do not store near feed or food products and do not contaminate these or food preparation surfaces, dishes, kitchen utensils and food containers with either concentrate or spray.

Do not contaminate domestic or animal water supplies while applying, when cleaning equipment or when disposing of surplus spray.

Keep out of lawn and garden fish pools, lakes, streams or ponds.

### FIRST AID

If swallowed, induce vomiting by giving soapy or strong salty water to drink. Repeat until vomit is clear. Call a physician.

**NOTE TO PHYSICIAN:** Contains anticholinesterase carbamate insecticide. In cases of overexposure, atropine sulfate —2 mg. (equivalent to 1/30 grain adult dose) should be given and repeated as necessary until fully atropinized.

### CONTAINER DISPOSAL

Do not reuse empty outer container. Traces of FICAM W in packets or other containers should be added to spray mixture. After insuring that both used packets and outer containers are empty, crush and dispose of in trash container.

### CONDITIONS OF SALE AND WARRANTY

The Directions for Use are believed to be reliable and should be followed carefully. Fisons Corporation and the Seller make no express or implied warranty of FITNESS or of MERCHANTABILITY concerning the use of this product other than indicated on the label, and no agent of Fisons Corporation is authorized to do so. Fisons Corporation and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all risks of use, storage or handling of this material when such use, storage or handling is contrary to label instructions. Fisons Corporation and the Seller shall not be held responsible for personal injury, property damage or other damage, or other loss resulting from the handling, storage or use of this material contrary to the label instructions.

**IMPORTANT:** Read the entire Directions for Use and Warranty Notice before using this product.

**GENERAL INFORMATION:** FICAM W is a wettable powder containing 76% by weight active ingredient which has given effective knockdown and residual control of those insects listed below.

FICAM W does not damage paints, plastics, fabrics or other surfaces where water alone causes no damage.

### DIRECTIONS FOR USE

Use only according to label directions. Thoroughly wash out sprayer and strainer with water and detergent before using FICAM W.

For use by Professional Applicators for residual pest control in and on buildings and their immediate surroundings. Permitted areas of use include, but are not limited to, stores, warehouses, industrial buildings, houses, apartment buildings, schools, nursing homes, hospitals, restaurants, hotels and food manufacturing, processing and serving establishments.

FICAM W is intended for dilution with water for application with hand or power-operated sprayers. Do not use strainers finer than 100 mesh size. When using hand sprayers, fill with the desired volume of water, add FICAM W, close and shake before use, to insure proper suspension of the wettable powder. Shake or re-agitate sprayer before use if spraying is interrupted.

Do not use this formulation with oil.

#### Dosage Chart:

Dilution Rate	Concentration of Spray Active Ingredient (ai)
1/2 packet per gallon	0.125%
1 packet per gallon	0.25%
2 packets per gallon	0.50%

**Cockroaches** (including both non-resistant and organophosphate and organochlorine resistant strains), **Ants, Crickets, Silverfish and Firebrats:** Mix one packet of FICAM W per gallon of water (0.25% ai) and apply as a coarse low pressure spot or crack and crevice spray to areas where these pests hide, such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the undersides of shelves, drawers and similar areas. For ants, apply to ant trails, around doors and windows and other places where ants enter premises.

FICAM W at 0.25% ai has consistently provided control of these insects for 30 and often for 60 days.

Following cleanout applications or where insect infestation is low and where sites are inspected and treated at monthly intervals or less, these insects can be controlled with sprays of one half packet of FICAM W per gallon of water (0.125% ai).

**Brown Dog Ticks:** Thoroughly apply a 0.25% ai spray as a crack and crevice and/or a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floors and floor coverings and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment. Do not treat animals with this product.

**Spiders:** Mix one packet of FICAM W per gallon of water (0.25% ai) and apply to infested baseboards, window and door frames, corners, pipes, storage localities, attics and under eaves. Make spot applications to other areas over which these pests may crawl.

**Wasps and Bees:** Mix one packet of FICAM W per gallon of water (0.25% ai) and thoroughly spray nest and entrance and surrounding areas where insects alight. It is generally advisable to spray the nests in the evening when the insects are less active and have returned to the nest. For best results, check nest carefully one or two days after spraying to insure complete kill, then remove and destroy nest to prevent emergence of newly hatched insects.

**Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes, and Scorpions:** Apply 0.25% ai spray around doors and windows and other places where these pests may enter premises. Spray baseboards, storage areas and other locations where these pests are found.

**Note:** Where it is desired to obtain a longer period of control of these pests in areas where access is difficult or where deposits will not be quickly removed by cleaning, apply FICAM W at a rate of two packets per gallon of water (0.50% ai). This rate may also be used to quickly reduce heavy infestations of cockroaches.

To prevent recurrence of pest infestations, repeat applications as required.

**Food Handling Establishments** — Places other than p. residences in which food is held, processed, prepared or serv

**Food Areas** — Application limited to spot or crack and crevice treatments only. For spot treatments, no individual spot will exceed two (2) square feet.

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas when food is exposed and facility is in operation are also considered a food area.

Prepare a spray solution as directed above and apply in small amounts directly into cracks and crevices using equipment capable of delivering a pinstream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where cockroaches, ants, silverfish, firebrats, spiders and crickets hide. Spot treatment using coarse spray may also be made to areas where any of the above pests hide or inhabit such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, the underside of shelves, drawers and similar areas.

Make applications using low pressure so as to avoid possible atomization or splashing of the spray. Avoid contamination of food or food processing surfaces.

**Non-Food Areas** — FICAM W may be used as a crack and crevice treatment or as a spot application in non-food areas. All areas where insects hide or through which insects may enter should be treated.

This product is authorized for use in Federally Inspected Meat and Poultry Plants.

**Outdoor Use** — Residual spray for control of ants, bees, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, spiders and wasps. Use 0.25% ai concentration and apply as a residual spray or with a paint brush to surfaces of buildings, porches, screens, window frames, eaves, patios and garages.

To help prevent infestation of buildings by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation, to a height of 2 to 3 feet where pests are active and may find entrance. Use 0.25% ai concentration and apply as a coarse spray to thoroughly and uniformly wet the band area.

**USE PRECAUTIONS**

With proper spraying, FICAM W does not result in a visible deposit. However, if unevenly applied, or sprayed to run-off, a visible deposit may occur on some dark surfaces.

Use in limited areas and do not treat entire walls or floors.

Do not spray where electrical short circuits might result.

Do not use on or contaminate fruit, vegetables or other feed or food crops.

See enclosed leaflet for complete Directions For Use.