

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
218823

**Application for Pesticide - Section I**

1. Company/Product Number <i>10079-3</i>	2. EPA Product Manager <i>RUTH DOUGLAS</i>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <i>NAT CHLOR</i>	PM# <i>32</i>	
5. Name and Address of Applicant (Include ZIP Code) <i>NATIONAL Swimming Pool Products. 775 RIVER ST. PATERSON NJ 07524</i>	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(ii), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	
<input type="checkbox"/> Check if this is a new address		

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

*RESPONSE TO 95-1 + 93-10*

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container <i>UP TO 60 LBS INCLUSIVE</i>		5. Location of Label Directions <input checked="" type="checkbox"/> ON LABEL	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <i>ALAN TAUB</i>	Title <i>PRES.</i>	Telephone No. (Include Area Code) <i>(201) 523-3736</i>
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received <b>(Stamped)</b>
2. Signature <i>[Signature]</i>	3. Title <i>PRES.</i>	
4. Typed Name <i>ALAN TAUB.</i>	5. Date <i>6/28/95</i>	<i>193</i>

293

All Type to be reset to 111.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Avoid contact with skin, clothing, or eye. *Wear goggles or face shield and rubber gloves when handling. Irritation of the respiratory system. Avoid breathing dust. Remove and wash contaminated clothing before reuse.*

**PRACTICAL TREATMENT: (First Aid): If Swallowed:** Promptly drink a large quantity of water. Do not induce vomiting. Avoid alcohol. Call a physician immediately. **If on skin:** Irritation of the skin. Wash with cool water for at least 15 minutes. If irritation persists get medical attention. **If in eyes:** Flush with water for at least 15 minutes. Get medical attention.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact the local, state, or federal EPA.

**PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT:** May cause or contribute to an explosion. Do not add this product to any dispensing device containing combustible material. Do not use in confined spaces. Contact with organic materials may cause a violent and instantaneous chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

**SPECIAL PRECAUTIONS**

**PLEASE READ BEFORE OPENING CONTAINER**

**PREVENTION OF PHYSICAL INJURY**

- 1. The product emits a powerful chlorine gas. Do not open container in confined spaces.
- 2. Move away from face when opening to avoid breathing fumes.
- 3. Do not use in confined spaces when not used properly.

**MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY**

**REQUIRING HOSPITALIZATION**

**RELATED COMPLICATIONS MAY LEAD TO DEATH**

- Do not mix with any other chemicals.
- Mixing with other chemicals may cause a violent and instantaneous chemical reaction.
- Do not add water to this product.
- Do not add this product to water in a pool.
- Do not take advice from others.
- Do not experiment.
- Follow label instructions exactly.

**PREVENTION OF PROPERTY DAMAGE:** Contact between this product and metal, masonry, concrete, painted surfaces, or other property in or around the pool will result in permanent staining of the color.

**NATIONAL SWIMMING POOL PRODUCTS, INC.**

775 River St., Paterson, NJ 07524

"Do not discharge effluent containing this product into streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and you have been notified in writing prior to discharge. Do not discharge effluent containing this product into navigable waters without previously notifying the local, state, or federal water pollution control agency. For guidance contact your local water board or Regional Office of the EPA."



**CONCENTRATED POOL  
CHLORINATING  
GRANULES**

**Dissolves Quickly & Completely  
Holds Available Chlorine Longer**

**Active Ingredient:**  
Dichloroisocyanuric Acid,  
Dry, 5.1, UN2465, PG II ..... 100%  
\*Provides 62% Available Chlorine

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**SEE FIRST AID STATEMENT AND OTHER  
PRECAUTIONS ON SIDE PANEL  
BEFORE OPENING CONTAINER**

**BEST COPY AVAILABLE**

2

ALL TYPE TO BE RESET TO FIT.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

# CONCENTRATED POOL CHLORINATING GRANULES

Dissolves Quickly & Completely  
Holds Available Chlorine Longer


### Active Ingredient:

Dichloroisocyanuric Acid,  
Dry, 5.1, UN2465, PG II ..... 100%  
\*Provides 62% Available Chlorine

KEEP OUT OF REACH OF CHILDREN

## DANGER

SEE FIRST AID STATEMENT AND OTHER  
PRECAUTIONS ON SIDE PANEL  
BEFORE OPENING CONTAINER



NET WT.  
5, 10, 25, 40, 60 LBS.

BATCH NO.

Chlorinator granules are a highly concentrated stabilized disinfectant developed to establish and maintain proper levels of available chlorine through normal pool maintenance. Chlorinator granules are quick dissolving, easy to dispense and 100% soluble.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**INITIAL DOSE:** When starting a new pool, super chlorinate to satisfy chlorine demand and establish a chlorine residual of 1.0 to 1.5 ppm. Add 2 oz. of this product per 1,000 gallons when water level is 2 ppm. Use a chlorine test kit to determine chlorine level. The next morning add Chlorinator to bring chlorine level to 1.0 to 1.5 ppm according to the directions on that label. Bathing should not be allowed until the chlorine level has returned to 3 ppm or less.

**MAINTENANCE DOSE:** Add 1/4 to 1/2 ounce per 1,000 gallons per day to maintain a chlorine residual of 1.0 to 1.5 ppm. Chlorine level should be determined by a suitable test kit. pH should be maintained in the range of 7.2 to 7.6.

**SHOCK TREATMENT:** Shock treatment should be made every week during hot weather or after heavy use. Shock treatment should be made during cool weather. Add 2 oz. per 1,000 gallons. Bathing should not be permitted until the chlorine residual has dropped to 3 ppm or less. Note that daily dosages should be increased for heavy accumulations of dust and dirt caused by storms or heavy bathing. A chlorine residual of 1.0 to 1.5 ppm should be maintained to maintain a chlorine residual of 1.0 to 1.5 ppm.

### Application should be made using one of the following methods:

**SKIMMER METHOD:** This is the method to avoid bleaching vinyl liner or paint. Empty skimmer of all debris and clean. Measure out the granules and properly recirculating through skimmer. Then allow chlorine to be drawn into the system at the same rate. Pour Chlorinating Granules slowly into skimmer. Do not allow chlorine to be drawn into the system at the same rate. Do not allow this material to be drawn into the system.

**DOSE DIRECTLY INTO POOL:** Broadcast across surface to water. To prevent liner damage, use the lower rate of 1/2 oz.

**STORAGE AND DISPOSAL:** Keep product dry in tightly closed container when not in use. Store away from water and heat. Do not use near heat or open flame. In case of decomposition, isolate container and spray with water. Do not use large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water before discarding. Place in trash collector or deposit in approved landfill area.

EPA REG. NO. 19033-1 EPA EST. NO. 30079-NJ-1

BEST COPY AVAILABLE