

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-C080. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
218822

Application for Pesticide - Section I

1. Company/Product Number 10079-4	2. EPA Product Manager RUTH DOUGLAS	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) TOP CHLOR	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) JERSEY CHEMICALS, INC. 7751 RIVER ST PATERSON NJ 07514 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

RESPONSE TO 95-1 + 93-10

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container UP TO 100 LB. INCLUSIVE		5. Location of Label Directions <input checked="" type="checkbox"/> ON LABEL	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name ALAN TAUB	Title PRES	Telephone No. (include Area Code) (201) 823-3756
2. Signature 		3. Title PRES.
4. Typed Name ALAN TAUB.		5. Date 6/28/95
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) 1993

752

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

**HOW TO USE TOP-CHLOR CHLORINE SANITIZER:** To start your pool: 1. Backwash filter. 2. Utilizing your pool test kit adjust pH of pool water to 7.2-7.6. Add soda ash or sodium bicarbonate to correct an acid condition (less than 7.2). Add sodium bisulfate if the pH is greater than 7.6. Maintain pH range of 7.2-7.6 for a minimum of six hours before the addition of Top-Chlor chlorine sanitizer and during the entire season. 3. Use two cups of Top-Chlor chlorine sanitizer per 5,000 gallons of water.


After the proper pH range (7.2-7.6) and chlorine residuals (1.0-1.5) have been established, it is beneficial to add a chlorine stabilizer (cyanuric acid) to the pool to prevent extreme fluctuations in the chlorine level. Cyanuric acid is available at most pool dealers and should be added in accordance to the instruction on the package for maximum stabilization of the pool water.

**HOW TO MAINTAIN THE PROPER CHLORINE RESIDUAL:** The chlorine residual should be maintained between 1.0 and 1.5 ppm available chlorine as determined by the chlorine test kit. Under normal conditions, this residual can be maintained by the daily addition of about 1/3 cup (2.7 ounces) of Top-Chlor chlorine sanitizer of each 5,000 gallons of pool water—if the pool water is properly stabilized with 30-50 ppm of cyanuric acid pool stabilizer. Severe conditions, such as high temperature or continued use by many people, will require higher daily dosage, whereas smaller doses may suffice in spring and fall or when the pool is not being subjected to normal bathing loads.

The pool water should be super-chlorinated about once each week. Five times the normal daily addition, or a minimum of one cup (eight ounces) per 5,000 gallons of pool water should be added to the evening when the pool will not be used for a minimum of 12 hours. Test the chlorine residual and if above 2.0 ppm do not allow swimming until residual has decreased.

BATCH NO.

NET WEIGHT: 10, 15, 25, 50, 100



"Do not discharge streams, ponds, accordance with Discharge Elimination authority has been not discharge systems without treatment plant Water Board or R

ACTIVE INGREDIENT.  
Lithium Hypochlorite-29%.  
Inert Ingredient-71%.  
Contains 35% available chlorine

100%  
CHLORINATED  
MODERN SWIMMING

RINSE EMPTY CONTAINER THOROUGHLY

2

BEST COPY AVAILABLE

EPA 10079-4  
EPA EST NO.  
10079 NJ-1

aining this product into lakes,  
eans or other waters unless in  
ents of a National Pollutant  
NPDES) permit and the permitting  
riting prior to discharge. Do  
aining this product to sewer  
notifying the local sewage  
or guidance contact your State  
of the EPA."

## **DANGER:**

KEEP OUT OF REACH OF CHILDREN.  
SEE FIRST AID STATEMENT AND  
OTHER PRECAUTIONS ON SIDE  
LABEL BEFORE OPENING CONTAINER

ible  
ER FOR  
OL CARE

TER AND DISCARD IT

## **PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS**

**DANGER:** Highly corrosive. May cause skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance, contact the regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS:** Strong oxidizing agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

**PRACTICAL TREATMENT (First Aid):** If swallowed: Drink two glasses of water and see a physician immediately. Do not induce vomiting. If on skin: Wash skin thoroughly with cold water for at least 15 minutes. If irritation persists, see a physician. If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

**STORAGE AND DISPOSAL:** Store in a cool, dry place. Do not transfer into unlabeled containers. Close container tightly after each use. Protect from moisture and heat. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is not to be reused or is contaminated and cannot be reused, dispose of in the same manner. Do not contaminate water, food or feed by storage or disposal.

## **JERSEY CHEMICALS, INC., PATERSON, NJ**

775 RIVER STREET, PATERSON, NJ 07524

Phone 523-3736

**BEST COPY AVAILABLE**