PLEASE NOTE

This image contains more than one label approved for this product on this date.

ACCEPTED

FUNGICIDE AND RODENTICIDE ACT

BEST DOCUMENT AVAILABLE

FUNDICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO. 10.00 SUBJECT TO ATTACHED COMMENTELLO UID WEED KILLER

ACTIVE INGREDIENTS	 . .	97.93%
Mixed Aliphatic Hydrocarbons	 95.34%	r a serie
2, 4-Dichlorophenoxyacetic Acid,		
2, 4-Dichlorophenoxyacetic Acid, isooctyl ester*	 1.09%	
Bromacií (5-Bromo-3-sec-butyl-6-methyluracil)	 0,61%	Digital in the second
Pentachlorophenol		
Other chlorophenols	 0.09%	1
INERT INGREDIENTS	 	2.07%
Total	 	100.00%
*2 4-Dichlorophenoxyacetic acid equivalent		

HARMFUL OR FATAL IF SWALLOWED. **CAUTION:** KEEP OUT OF THE REACH OF CHILDREN.

Read side panel carefully for additional cautionary information.

USDA Reg. No. 10088-2

EA LABORATORIE

LWK LIQUID WEED KILLER

GENERAL INFORMATION

LWK is a specially formulated non-selective chemical for controlling a wide range of annual and perennial weeds and grasses. It is recommended for use only on non-cropland areas such as railroad rights-of-way and industrial sites. The degree of control and duration of results will vary with the amount of LWK applied, soil type, rainfall and other conditions. Highly recommended for municipal weed control and as a soil sterilant.

Vapors from this product may injure susceptible plants in the immediate vicinity.

Do not apply to areas underlaid by roots of desirable plants.

DIRECTIONS

To control most weeds and grasses on non-cropland areas for an extended time, apply 43.5 gallons per acre of undiluted LWK after the most predominant weeds have emerged. No agitation is required. LWK should be applied with railroad on-track, truck mounted, or other standard spraying equipment. For treating small areas, a tank-type hand sprayer or sprinkling can may be used.

Users should consult experiment station or extension service weed specialists for recommendations as to use of LWK in their particular area.

IMPORTANT

Do not apply LWK directly to, or otherwise permit it to come into contact with susceptible plants such as vegetables, flowers, fruit trees, ornamentals, cotton, beans, peas, grapes or other desirable plants. Avoid spray drifts to such susceptible plants. (Coarse-sprays are less likely to drift.) Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same spray equipment for other purposes). Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate waters used for irrigation or domestic purposes. Do not re-use this container for other materials without thorough cleaning.

CAUTION

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN! VAPOR HARMFUL! CAUSES SKIN IRRITATION!. Call physician immediately. Do not breathe vapor or mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. In case of contact, wash skin with soap and water, for eyes, immediately flush with large amounts of water for at least 15 minutes and get medical attention. Remove and wash contaminated clothing before re-

This product is poisonous to fish and wild life. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label.

KEEP OUT OF REACH OF CHILDREN!

NOTICE TO BUYER

Seller makes no warranty, express or implied, of merchantability or otherwise of any other kind concerning the use of this product. Buyer assumes all risk of use of handling whether in accordance with directions or not.

MENT AVAILABLE

ACCEPTED

NOTE THE FESERAL INSECT CIDE UNGICIDE ACT POSENTICIDE ACT OR ECONO. TO POSEN REGISTER-D UNDER NO COMMENTS.

2/0

NEXT

LABEL



700 HOUD

ACTIVE INGREDIENTS:		
Petroleum oil	(. 94.97%	
2,4-Dichlorophenoxyacetic acid, isooctyl	1.09%	
Bromacil (5-bromo-3-sec-butyl-6- methyluracil)	0.98%	
Pentachlorophenol		
Other chlorophenols	0.09%	
INERT INGREDIENTS:	2.07%	
Total	100,00%	
*2.4-Dichlorophenoxyacatic acid equivalent	0.70%	

West Registration Top. 1700-00

DIRECTIONS: To control most weeds and grasses on non-cropland areas such as railroad rights-of-way and industrial sites for an extended time, apply 43.5 gallons per acre of undiluted NaIKil 400 after the most predominant weeds have emerged. No agitation is required. NaIKil 400 should be applied with railroad on-track, truck mounted, or other standard spraying equipment. For treating small areas, a tank-type hand sprayer or sprinkling can may be used.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use of NalKil 400 in their particular area, or write to Nalco.

IMPORTANT: Do not apply directly to, or otherwise permit NalKil 600 to contact susceptible plants as this product may injure cotton, beans, peas, grapes, flowers, fruit trees, ornamentals, or other desirable plants. Avoid spray drift to such susceptible plants (course sprays are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same equipment for other purposes). Do not store near fertilizers, seeds, insecticides or fungicides. Do not re-use this container.

NalKil 400 is toxic to fish. Do not contaminate any body of water.

WARNING: HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. In case of contact, flush with large amounts of water; for eyes, get medical attention. Remove and wash contaminated clothing before re-use.

FOR INDUSTRIAL USE ONLY

NALCO CHEMICAL COMPANY 6216 W. 66th Place • Chicago, Illinois 60638

NET CONTENTS SHOWN ELSEWHERE ON CONTAINE