

CAUTION:

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

USES:

1. General weed control in non-crop areas. Controls broadleaf weeds, brush and grasses. Kills most even types of plant life on contact. It kills through the leaves only.
2. General weed control in shrub areas. Chemical will not injure desirable plants as long as spray does not come in contact with leaves of these plants. Chemical becomes inactive on contact with soil, therefore, plant roots do not take up chemical and chemical does not build up and become toxic at a later date.
3. Spot weed control in lawns and other areas will kill undesirable grasses in lawns if these grasses are spot sprayed.
4. General vegetation control around buildings and other installations, gardens, walkways, patios, storage areas, beneath greenhouse benches, fence lines, golf courses, parkways, driveways, ditches, sand traps and similar areas where any type of vegetation is undesirable.
5. Aquatic weed control. Both surface and subsurface, in ponds, lakes and drainage ditches.

DIRECTIONS:

NON-CROP OR NON-PLANTED AREAS: To kill above ground weed growth around buildings and other installations, gardens, walkways, patios, beneath greenhouse benches, fence lines, golf courses, parkways and driveways for control of undesirable broadleaved and grass type weeds. 2% gal. per 20 gals. water (16 oz. per gal. water). Apply for full coverage and thorough weed contact. Apply preferably to young growth and up to seeding of weeds. Repeat applications necessary to maintain control, particularly on grasses and established weeds. Avoid spray contact with foliage or food crops or ornamental plants. Do not water treated areas for 24 to 36 hours after application.

Harmful if swallowed. Avoid contact with skin, eyes and clothing. Concentrate may cause skin damage. Use water proof gloves and face shield or goggles when handling concentrate. Avoid breathing spray mist. In case of contact, immediately remove clothing and wash thoroughly and get medical attention. For eyes, wash thoroughly with water. Do not store with or near feed and foodstuffs or drinking water. During application avoid drift to adjacent food and forage plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption. Do not use treated water for human or animal consumption. Swimming, spraying or overhead and furrow irrigation within 10 days after treatment. Do not apply to muddy water and do not operate water excessively with outboard motor or other equipment during application. Keep livestock out of treated areas. Wash sprayer immediately after application. Do not pump and dilute this concentrate with clear water.

CONKILL

A CONTACT, NON-SELECTIVE VEGETATION KILLER FOR THE CONTROL OF BROADLEAF WEEDS, GRASSES AND AQUATIC WEEDS.

ACTIVE INGREDIENTS:

Diquat Dibromide-6,7-Dihydrodipyrido (1,2-a:2',1' 1) pyrazinodibromide 1.85%
INERT INGREDIENTS 98.15%

Contains 0.083 lbs. Diquat Cation per gal. as 0.155 lbs. Salt per gal. This product is a herbicidal chemical that when used as directed will kill most all forms of plant growth without damage to the soil. Absorption and herbicidal action is usually quite rapid with effects visible in a few days. This product is inactivated on contact with soil.

CAUTION:

KEEP OUT OF REACH OF CHILDREN

Read entire label. Use strictly in accordance with label cautions, warnings and directions in conformity with Federal and State Regulations. Wash and destroy container when empty. Never re-use.

Net Contents _____ Gallons

EPA Reg. No. 10088-13 AA
EPA Est. No. 10088 WI-1

Sold By _____

AQUATIC USE DIRECTIONS AQUATIC WEEDS Infesting Still Ponds, Lakes, Ditches, Laterals, Canals)

Water Treatments	Gals./Surface Acre	PPM**
*Aq. 1e		
Stringy alga and other plants	20 gal.	4 to 10
Bladderwort and other plants	20 gal.	4 to 10
Water hyacinth	20 gal.	4 to 10
Genato, water lilies	20 gal.	4 to 10
Emerald, Fiddler's neck	20 gal.	4 to 10
Najas, Najas	20 gal.	4 to 10
*Pondweed, Water hyacinth	40 gal.	4 to 10
Water hyacinth, Myriophyllum spp.	20 to 40 gal.	4 to 10

WATER TREATMENTS: Make application from a boat or other suitable craft either by injecting this product below the water surface, or by pouring it directly from the container into the water while moving slowly over the water surface. *Repeat application may be necessary under conditions of heavy infestations or where reinfestation may readily occur from seed, fragmentation or escapes.

**This product cation by weight. (See dilution chart)

DILUTION CHART

Depth of Water Feet	Gallons to Use per Acre at Indicated PPM Cation By Wt.	1ppm	10ppm	20ppm
1	4 gal. 14 gal.	28 gal.	42 gal.	70 gal.
2	14 gal. 28 gal.	56 gal.	84 gal.	140 gal.
3	21 gal. 42 gal.	84 gal.	126 gal.	210 gal.
4	28 gal. 56 gal.	112 gal.	168 gal.	280 gal.
5	35 gal. 70 gal.	140 gal.	210 gal.	350 gal.

FOLIAGE SPRAY TREATMENTS AMOUNT ACRE
Savanna, Savanna, Savanna, Savanna 1 to 15 gal.
Water hyacinth, E. hyacinth, E. hyacinth 1 to 15 gal.
Water hyacinth, E. hyacinth, E. hyacinth 1 to 15 gal.

FOLIAGE SPRAY TREATMENTS: Should be applied with sufficient water (150-200 gals. per acre) to thoroughly wet foliage. As the spray progresses and vegetation increases in mass, the higher dosages indicated should be used and more uniform distribution may be necessary. Local conditions may affect the use of this chemical. Consult Agricultural Experiment Station or Extension Service Weed Specialist for specific recommendations to dosage and time of application and for control of other weeds. Check with state authority for necessary permits.

CAUTION:

Treatment of aquatic weeds can result in oxygen depletion from decomposition of dead leaves. This may cause fish suffocation. Therefore, to avoid this hazard, treat 1/3 to 1/2 of the water area at a time. Vegetation and wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outward, hands to allow fish to move into untreated areas. Consult your State Fish and Game Agency before applying this product to the water.