

U.S. ENVIRONMENTAL PROTECTION AGENCY Effice of Pesticide Programs Registration Division (7505C) 4C1 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE: Registration X Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

10088-13

SEP 29 1998

Term of Issuance:

Unconditional

Name of Pesticide Product:

Conkill

Name and Address of Registrant (include IIP Code):

Athea Laboratories, Inc. P.O. Box 23926 Milwaukee, WI 53223

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to explusive use of the name or to its use of it has been covered by others.

Based on your response to the Diquat Dibromide Reregistration Eligibility Decision (RED) document, EPA has reregistered the product listed above. The following revision must be incorporated into the labeling before the product is released for shipment:

1. Insert the phrase "For terrestrial uses" at the beginning of the second sentence under "ENVIRONMENTAL HAZARDS". The revised sentence should read as follows: "For terrestrial uses, do not apply directly to water, or to areas ..."

Enclosed is a copy of your label stamped "Accepted with Comments". This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain registration of your product.

Signature	: £	Approving	Official:	
-----------	-----	-----------	-----------	--

Date

SEP 2.9 1998

37A Form 8571-6

RD:STANTON:PM Team 23:Rm. 237:CM-2:305-5218:Disk #8:10088-13.RRE

CONCURRENCES							
SYMBOL +	7505C						
SURNAME +	S. Stanton						
DATE +	Sep 28, 1998						

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with pienty of water. Call a physician if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT(PPE): Applicators and other handiers must wear: coveralls over long-sleeved shirt and long pants; waterproof gloves(chemical-resistant, Category A); chemical-resistant footwear plus socks; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing or loading; and a dust/mist filtering respirator(MSHA/NIOSH approval number prefix TC-21C).

ENGINEERING CONTROLS: When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard(WPS) for agricultural pesticides(40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the loilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outsides of gloves before removing. As soon as possible, wash thoroughly and chance into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes or washwater. Do not use treated water for animal consumption, spraying or irrigation within 14 days after treatment. Treatment of dense weed areas can result in oxygen loss from decomposition of dead weeds. This loss can cause fish suffocation. Therefore, treat only 1/3 to 1/2 of the dense weed areas at a time and wait 14 days between treatments. Consult your State Fish and Game agencies before applying this product to public waters. Local conditions may affect the use of this product. Consult Agricultural Exception Service for specific recommendations on dosage and time of auplication and for control of other weeds. Check with ctate and local authorities for necessary application permits.

STORAGE AND DISPOSAL

Do not contaminate water, food or faed by storage, disposal or cleaning of equipment. Dran dumping is prohibited store at temperatures above 32.F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONKILL

A CONTACT, NON-SELECTIVE VEGETATION KILLER FOR CONTROL OF BROADLEAF WEEDS, GRASS AND AQUATIC WEEDS

THIS HERBICIDE WILL KILL MOST FORMS OF PLANT GROWTH WITHOUT DAMAGE TO THE SOIL.

ABSORPTION AND HERBICIDAL ACTION IS USUALLY QUITE RAPID WITH EFFECTS VISIBLE IN A FEW DAYS.

THIS PRODUCT IS INACTIVATED ON CONTACT WITH THE SOIL.

ACTIVE INGREDIENTS:

EPA REG. NO. 10088-13 - EPA EST. NO. 10088-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

Sold By:



P.O. BOX 23926

ACCEPTED MILWAUKEE, WI 53223
In EPA Letter Dated
SEP 2 9 1998

Under the Federal Insecticide, Fundicide, and Rodenticide Act as smeaded, for the posticide registered under EPA Rog. No. 100 88 - 13

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

ENTRY RESTRICTIONS:

For 4 days following applications to non-crop areas (other than aquatic or residential sites), do not allow employees to have contact with the treated plants, except for contact with their footwear. For spot-treatment applications to residential sites, do not allow people or pets to touch treated plants until the sprays have dried.

AQUATIC WEEDS: For application to ponds, takes, and drainage ditches where there is little or no outflow of water and which are totally under the control of the products user. Do not use treated water for animal consumption, spraying, irrigation or domestic purposes for 14 days after treatment.

For control of submerged weeds, dilute and inject below the water surface, or pour directly into the water while moving slowly over the area in a boat. Apply early in the season before weed growth has reached the surface. Do not apply to muddy water, and do not agitate the water excessively with outboard motor or injection equipment during application. Wash sprayer immediately after application with detergent and water then rinse with clear water.

For control of cattall, duckweed, waterlettuce and floating weeds, use 20 to 48 gallons per acre diluted with 30 to 150 gallons of water. For best results, use a non-lonic surfactant in the spray mixture. Apply as a foliar treatment before flowering of weeds or as a late season treatment. Apply to thoroughly wet weeds. Repeat application as needed.

BALLONS TO USE PER ACRE PER FOOT OF DEPTH

"Algae (Spirogyra and Pitchophora spp.)	14 to 48 gallen:
Bladderwort (Utricularia spp.)	7 to 48 gailon
Coontail (ceratophyllum demersum)	48 gallon
Elodea (Elodea spp.)	48 gallon:
Naiad (Najad spp.)	7 to 20 gallon
*Pondweed (Potamogeton spp.)	14 to 48 gallons
Watermilloil (Myriophyllum spp.)	7 to 48 gallon.
Repeat application may be necessary for heavy	

GOLF COURSES, DRIVEWAYS, PATIOS, ORNAMENTAL GARDENS, WALKWAYS, FENCEROWS AND OTHER NON-CROP AREAS including around commercial and manufacturing buildings, rights-of-way and storage yards for control of undesirable broadleaf weeds and grasses, including annual and perennial broadleaf weeds, chickweed, sedge, bermuda grass and other grasses.

Use 2-1/2 gallons of this product per 20 gallons of water (16 ounces per gallon of water). Apply as a directed spray to thoroughly wet the weeds. For best results, use a non-ionic surfactant in the spray mixture. Application may be made any time during the growing season. Repeat application as necessary. Do not water treated areas for 24 to 36 hours after application. Avoid spray contact with food crops or ornamental plants. Do not apply this product through any type of irrigation system.

14592158 NFT CONTENTS:

 □ 6	1 20	□ 30	□ 35	55
	GA	LLONS		

