

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT(PPE)

Applicators and other handlers must wear: coveralls over long-sleeved shirt and long pants; Butyl gloves, or nitrile gloves, or other gloves that glove selection charts or guidance indicate are chemical-resistant to the pesticide for the period of time required to perform the task, chemical-resistant footwear plus socks; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing or loading; and a dust/mist filtering respirator with NIOSH approval number prefix TC-84A.

ENGINEERING CONTROLS

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard(WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outsides of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS (Aquatic and Nonaquatic Uses)

This pesticide is toxic to aquatic invertebrates. **FOR TERRESTRIAL USES**, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes or washwater. Do not use treated water for animal consumption, spraying or irrigation within 14 days after treatment. **FOR AQUATIC USES**, do not apply directly to water except as specified on this label. Treatment of dense weed areas can result in oxygen loss from decomposition of dead weeds. This loss can cause fish suffocation. Therefore, treat only 1/3 to 1/2 of the dense weed areas at a time and wait 14 days between treatments. Consult your State Fish and Game agencies before applying this product to public waters. Local conditions may affect the use of this product. Consult Agricultural Extension Service for specific recommendations on dosage and time of application and for control of other weeds. Check with state and local authorities for necessary application permits.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Store at temperatures above 32°F. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONKILL

**A CONTACT, NON-SELECTIVE VEGETATION KILLER
FOR CONTROL OF BROADLEAF WEEDS,
GRASS AND AQUATIC WEEDS**

**THIS HERBICIDE WILL KILL MOST FORMS OF
PLANT GROWTH WITHOUT DAMAGE TO THE SOIL.**

**ABSORPTION AND HERBICIDAL ACTION IS USUALLY
QUITE RAPID WITH EFFECTS VISIBLE IN A FEW DAYS.**

**THIS PRODUCT IS INACTIVATED
ON CONTACT WITH THE SOIL.**

ACTIVE INGREDIENTS:

Diquat Dibromide (6,7-Dihydrodipyrido(1,2-a:2',1'-c)
pyrazinedium dibromide)..... 1.85%
INERT INGREDIENTS:..... 98.15%
TOTAL..... 100.00%

Contains 0.083 Lbs. Diquat cation per gallon as 0.155 Lbs. salt per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378. For information on product, usage, etc., call 1-800-XXX-XXXX.

**EPA REG. NO. 10088-13
EPA EST. NO. 10088-WI-1**

Manufactured by:

**Athea Laboratories, Inc.
P.O. Box 240014
Milwaukee, WI 53224**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

ENTRY RESTRICTIONS

For 4 days following applications to non-crop areas (other than aquatic or residential sites), do not allow employees to have contact with the treated plants, except for contact with their footwear. For spot-treatment applications to residential sites, do not allow people or pets to touch treated plants until the sprays have dried.

AQUATIC WEEDS: For application to ponds, lakes, and drainage ditches where there is little or no outflow of water and which are totally under the control of the products user. Do not use treated water for animal consumption, spraying, irrigation or domestic purposes for 14 days after treatment.

For control of submerged weeds, dilute and inject below the water surface, or pour directly into the water while moving slowly over the area in a boat. Apply early in the season before weed growth has reached the surface. Do not apply to muddy water, and do not agitate the water excessively with outboard motor or injection equipment during application. Wash sprayer immediately after application with detergent and water then rinse with clear water.

For control of cattail, duckweed, waterlettuce and floating weeds, use 20 to 48 gallons per acre diluted with 30 to 150 gallons of water. For best results, use a non-ionic surfactant in the spray mixture. Apply as a foliar treatment before flowering of weeds or as a late season treatment. Apply to thoroughly wet weeds. Repeat application as needed.

GALLONS TO USE PER ACRE PER FOOT OF DEPTH

*Algae (Spirogyra and Pithophora spp.)	14 to 48 gallons
Bladderwort (Utricularia spp.)	7 to 48 gallons
Coontail (Ceratophyllum demersum)	48 gallons
Elodea (Elodea spp.)	48 gallons
Naiad (Najad spp.)	7 to 20 gallons
*Pondweed (Potamogeton spp.)	14 to 48 gallons
Watermilfoil (Myriophyllum spp.)	7 to 48 gallons

*Repeat application may be necessary for heavy infestations or where reinfestation may occur from seed, fragmentation or escape.

GOLF COURSES, DRIVEWAYS, PATIOS, ORNAMENTAL GARDENS, WALKWAYS, FENCEROWS AND OTHER NON-CROP AREAS including around commercial and manufacturing buildings, rights-of-way and storage yards for control of undesirable broadleaf weeds and grasses, including annual and perennial broadleaf weeds, chickweed, sedge, bermuda grass and other grasses.

Use 2-1/2 gallons of this product per 20 gallons of water (16 ounces per gallon of water). Apply as a directed spray to thoroughly wet the weeds. For best results, use a non-ionic surfactant in the spray mixture. Application may be made any time during the growing season. Repeat application as necessary. Do not water treated areas for 24 to 36 hours after application. Avoid spray contact with food crops or ornamental plants. Do not apply this product through any type of irrigation system.
0145.051403

NET CONTENTS:

- 1 5 6 15 20
- 30 35 55 250 Gallons

10088-13
8/12/2003
Page 182

ACCEPTED
AUG 12 2003
12, 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
an application for the pesticide
registration was
EPA Reg. No. 10088-13