


ACCEPTED



10088-20
29 APR 1964

[10088-20]

SPRAY-FOG

SYNERGIZED PYRETHRIN SPRAY FOR MILLS, FOOD PLANTS AND THE HOME

Net Contents	100
Proprietary Name:	100
Trade Name:	200
Common Name:	333
Code No.:	99-367

Pyrethrins (90% bioactive), Isopropylpyrethrin, Cypermethrin and PBOA
and their synergists.

This spray is especially designed for use in cafés, restaurants, food storage warehouses,
butcher establishments, packing plants and the like. (Meat Inspection Division Memorandum No.
10088-20, dated Sept. 1964). This spray is designed for use in either fogging equipment or hand
sprayers.

CAUTION:

Keep out of reach of children. Avoid contact with eyes, skin, lungs, etc. Flying
KEEP OUT OF REACH OF CHILDREN
See other precautions on the back panel.

Net Contents

USDA Registration No. 10088-20

ATHEA LABORATORIES, INC.
MILWAUKEE - WISCONSIN

Directions For Use

Fleas, Mosquitoes, Gnats Close room and discharge mist vigorously in all parts of room using 1½ to 2 ounces for each 100 cubic feet of space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as needed.

Fleas (Infesting Premises): Remove and destroy animals bedding and spray sleeping quarters freely forcing the spray into all cracks in the floor and about the room. Repeat when re-infested.

Roaches, Waterbugs Apply in all cracks and crevices in woodwork underneath sinks, dark places behind pipes and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

Clothes Moths Spray all articles to be protected giving particular attention to folds and seams. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

Carpet Beetles Apply thoroughly to infested areas of carpet, localized areas of floors, base boards and closet shelves, into cracks and under carpets where pests may be found. Repeat application as often as necessary to maintain effective control.

Grain Weevils, Caddies, Flour Beetles, Grain Mites (Accessible Stages) Wet surface thoroughly and treat all infested surface areas, insect runways and hiding places at the rate of 1 gallon of this material to 1000 square feet of area or to the point of run off. Repeat when necessary. Do not spray on grain. WHEN USED IN AN ENCLOSED AREA DO NOT REMAIN IN AREA UNTIL TREATMENT IS COMPLETED.

CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not apply directly to food. Do not apply while food processing is underway. Thoroughly wash with suitable water all treated surfaces, processing surfaces, etc., that food will touch prior to reuse. In case of contact with eyes, wash well; do not allow food to come in contact with treated surfaces for at least 48 hours. Protect bird cages and fish bowls during spray application. Do not pour, store or split near heat or open flame. Keep container closed.