DEC 26 1995

### PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS & DOMESTIC ANIMALS

# **CAUTION:**

Harmful If swallowed! Do not inhale vapors or spray mist. May cause skin irritation. Avoid contact with skin, eyes or clothing. Remove pets and cover fish bowls before spraying. Do not epoly directly to food. Do not apply while food processing is underway. Facilities and equipment in federally inspected meat and poultry plants must be washed with a effective cleaning compound followed by a potable water ringe after spraying.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do NOT induce vomitting because of aspiration hazard. Call a physician or poison control center immediately. Contains petroleum distillate. Aspiration is a potential hazard. IF IN EYES: Flush eve and under evelids with water for at least 15 minutes, if irritation persists, obtain medical attention. IF ON SKIN: Remove conteminated elething and launder be Te-use. Wash skin with soap and plenty of water. If irritation persists, obtain medical attention.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA

## PHYSICAL AND CHEMICAL HAZARDS

Do not use this product in or on electrical equipment due to the possibility of shock hazard. Do not use, pour, spill or store near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

This spray is especially designed for use in cates, restaurants, food storage warehouses, flour mills, meat packing plants, and the like. This spray is designed for use in either fogging equipment or hand sprayers.

40091215

NET CONTENTS:

# **FOG**

## SYNERGIZED PYRETHRIN SPRAY FOR MILLS, FOOD PLANTS, AND THE HOME

**ACTIVE INGREDIENTS:** Pyrethrins ..... INERT INGREDIENTS ......99.367% \*Consists of 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds. Contains Petroloum Distillate, Eglene, De rycene sunge EPA REG. NO. 10088-20-EPA EST. NO. 10088-WI-1

# KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautions and first aid instruction.

Sold By:

SPECIMEN

FLIES, MOSQUITOES, GNATS: Close room and discharge mist vigorously in all parts of room, using 1-1/2 to 2 ounces for each 1000 cubic feet of space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects; Repeat as necded.

FLEAS (Intesting Premises): Remove and destroy animals' bedding and spray sleeping quarters freely, forcing the spray into all cracks in the floor and about the room. Repeat when re-infected.

ROACHES, WATERBUGS: Apply in all pracks and crevices in woodwork, underneath sinks, dark places behind pipes, and in all places where roaches and waterbugs infest, contacting as many Insects as possible. Repeat application as often an necessary.

CLOTHES MOTHS: Spray all articles to be protected, giving particular attention to folds and seams. Interior surfaces of storage containers such as closets, chests and trunks should be re-treated every 30 days unless the articles are stored in moth-tight containers.

CARPET BEETLES: Apply thoroughly to infested areas of carpet, localized areas of floors, baseboards and closet shelves, into cracks and under carpets where pests may be found. Repeat application as often as necessary to maintain effective control.

GRAIN WEEVILS, CADELLES, FLOUR BEETLES, GRAIN MITES (Accessible Stages); Wet surface thoroughly and treat all Infested surface areas, insect runways and hiding places at the rate of 1 pallon of this product to 1000 square feed of area, or to the point of run-off. Repeat when necessary. Do not spray on grain. WHEN USED IN AN ENCLOSED AREA DO NOT REMAIN IN AREA. VENTILATE AREA WHEN TREATMENT IS COMPLETED. 15 toracc

## STORAGE AND DISPOSAL

Do not contaminate water, lood, feed by storage or disposal. Opendumping is prohibited. Keep container tightly closed when not in use. If container is damaged of leaking, contain spill. Soak up spilled material with sand or other Inert absorbent, and place Into a closed, labeled container for proper disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of the smoke.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on side or at an approved waste disposal facility.

ABEL Front Acres of Food Hamilling Establishments; when applying aspace treatment in food hundling areas, the food hundling operation should be shut down. Foods should be removed on accurred during treatment In food processingarens, all uters to shelving ate where food will be handled should be convert or removed before treatment, or flowed by a postable in us DA federally inspected meat and poultry plants

BEST COLT AVAILABLE