ACCEPTED

JAN 31 1989

Under the form to a function and Rodemento Act, as amended, for the periode repaired under 88 - 29 EPA Reg No. 0088 - 29



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes severe eye and skin damage. Do not get in eyes or on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contermination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, atreams, pends, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. For guidence contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a menner inconsistent with its label.

This cleaner, disinfectant, and sanitizer is designed for institutional use such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection. It is effective against Staphylococcus aureus. Salmonella choleraesuis and Pseudomonas aeruginosa PRD-10 (substantiated by the AOAC Use Dilution Confirmation Test). It is also effective against pathogenic fungi Trichophyton interdigitale.

When used on environmental hard surfaces at 2 ounces per gallon of water, this product is also effective against

Influenze A2 (Flu virus)
Herpes Simplex (Cold sores, fever blisters)
Adenasias A. 2.14

Adenovirus type 2 (Acute respiratory disease)
Vaccinia (Smallpox virus)

CD

CLEANER DISINFECTANT DEODORIZER FUNGICIDE FOR HOSPITAL AND INSTITUTIONAL USE

| ACTIVE INGREDIENTS: n Alkyli 80% Ct. 30% Ct | a. 5% C.,, 5% C. | .) | |
|--|--------------------|----|--------|
| n Alkyl(88% C ₁₂ , 32% C ₁ | n chloride ភ្នា | • | 2 25% |
| dimethyl athylbenzyl amri | ianium chloride | | 2 25% |
| WERT INGREDIENTS | | | 95 50% |
| TOTAL | | | 100 0% |

EPA Reg. No. 10088-29-EPA Est. No. 10088-WI-1

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT IF IN EYES: Flush eyes and under eyelids with plenty of water for at least 15 minutes. Call a physician immediately. If ON SKIN: Remove contaminated clothing and launder before re-use. Flush skin with plenty of water for at least 15 minutes.

IF SWALLOWED: Drink milk, egg whites, or gelatin solution, or if these are not available drink large amounts of water. Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. See side panel for additional precautionary statements.

Manufactured by:

ATHEA LABORATORIES, INC. P.O. Box 23926 Milwaukee, WI 53223 TO DISINFECT: For floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans, and operating rooms, and other inanimate hard surfaces, use 2 ounces per gallon of water. Apply with a cloth or mop to walls, floors and other hard surfaces.

TO SANITIZE FOOD PROCESSING EQUIPMENT, FOOD CONTACT SURFACES AND UTENSILS: Scrape, flush, or presoak to remove gross food particles and soil, and wash thoroughly with detergont or compatible cleaner, followed with a potable water rinse. Spray, flood, or immerse to wet all surfaces with a solution containing 2.8 ounces per 5 gallons of water (200 ppm of active quaternary). A contact time of at least 1 minute is required for senitization, then drain the sanitizing solution thoroughly and allow to air dry. No potable water rinse is required. Prepare a fresh sanitizing solution daily or more often of the solution becomes diluted or soiled.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water, then offer for reconditioning or puncture and dispose of in a senitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a senitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

NET CONTENTS: