

ACCEPTED

JUL 01 1987

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 10088-30

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## WARNING

Causes eye and skin irritation. Do not get in eyes or on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. For guidance contact your State Water Board or Regional Office of the EPA.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

This cleaner, disinfectant, and sanitizer is designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa* (RD-10 (substantiated by the AOAC Use Dilution Confirmation Test)). It is also effective against pathogenic fungi *Trichophyton interdigitale*.

### GUARANTEED MINIMUM PHENOL COEFFICIENTS:

<i>S. aureus</i>	42
<i>S. typhosa</i>	27

When used on environmental hard surfaces at 2 ounces per gallon of water, this product is also effective against:  
Influenza A2 (Flu virus)  
Herpes Simplex (Cold sores, fever blisters)  
Adenovirus type-2 (Acute respiratory disease)  
Vaccinia (Smallpox virus)

## NP

### CLEANER, DISINFECTANT, DEODORIZER, FUNGICIDE DESIGNED FOR HOSPITAL AND INSTITUTIONAL USE

#### ACTIVE INGREDIENTS:

n-Alkyl(60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chloride	2.25%
n-Alkyl(68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chloride	2.25%
Sodium carbonate	3.00%
INERT INGREDIENTS	92.50%
TOTAL	100.0%

EPA Reg. No. 10088-30-  
EPA Est. No. 10088-WI-1

## KEEP OUT OF REACH OF CHILDREN WARNING

### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes and under eyelids with plenty of water for at least 15 minutes. Call a physician immediately.

IF ON SKIN: Remove contaminated clothing and launder before re-use. Flush skin with plenty of water for at least 15 minutes.

IF SWALLOWED: Drink milk, egg whites, or gelatin solution, or if these are not available drink large amounts of water. Call a physician immediately. Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See side panel for additional precautionary statements.

Sold by:

ATHEA LABORATORIES  
Milwaukee, WI 53223

TO DISINFECT AND SANITIZE: For floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans, and operating rooms, and other inanimate hard surfaces, use 2 ounces per gallon of water. Apply with a cloth or mop to walls, floors and other hard surfaces.

TO SANITIZE FOOD PROCESSING EQUIPMENT, FOOD CONTACT SURFACES AND UTENSILS: Scrape, flush, or pre-soak to remove gross food particles and soil, and wash thoroughly with detergent or compatible cleaner, followed with a potable water rinse. Spray, flood, or immerse to wet all surfaces with a solution containing 2.8 ounces per 5 gallons of water (200 ppm of active quaternary). A contact time of at least 1 minute is required for sanitization, then drain the sanitizing solution thoroughly and allow to air dry. No potable water rinse is required. Prepare fresh sanitizing solution daily or more often if the solution becomes diluted or soiled.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water, then offer for reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### NET CONTENTS: