

File Symbol 10088-2UN
 ACC
 Dec 9, 1974
 10088-40

TOWER ALGAECIDE 10

APPLICATION

ACTIVE INGREDIENTS

Poly (oxyethylene (dimethylimino) ethylene (dimethylimino) ethylene dichloride) . . . 10.0%

INERT INGREDIENTS 90.0%

Weight per gallon 8.49 lbs
 Weight of active ingredient per lb. 0.85 lb.

TOWER ALGAECIDE 10 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove fungal growth, microbiological slime, and other deposits. An initial slug addition of 6.13 to 15.32 fluid ounces of **TOWER ALGAECIDE 10** per 1000 gallons of water to provide a concentration of 48 to 120 parts per million of **TOWER ALGAECIDE 10** based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.53 to 15.32 fluid ounces of **TOWER ALGAECIDE 10** per 1000 gallons of water (12 to 120 parts per million of **TOWER ALGAECIDE 10** should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

CAUTION

Causes irritation of skin and eyes. Avoid contact with skin, eyes, or clothing.

KEEP OUT OF THE REACH OF CHILDREN

See other precautions on side panel

EPA Reg. No. 10088-40
 EPA Est. No. 10088 WI 1

Net Contents

CAUTION

Harmful if swallowed. Do not get in eyes. Avoid contact with skin. In case of contact, flush with plenty of water for at least 15 minutes. If eye irritation persists, get medical attention. Avoid contamination of food.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Use only as directed on label.

Do not reuse empty drum. Return to drum conditioner or destroy by perforating or crushing and burying in a safe place.

Distributed by

FLOTO-THERM®

ACTIVE INGREDIENTS:

Polyethoxy polypropoxy polyethoxy ethanol-iodine complex..... 9.10%

Nonylphenoxypoly (ethyleneoxy) ethanol-iodine complex..... 8.74%
(Provides 1.6% min. titratable iodine)

INERT INGREDIENTS:82.16%

For thermometer disinfection, dilute 1 packet in 120cc of water.

CAUTION: KEEP OUT OF REACH OF CHILDREN

USDA Reg. No. 10128-1

U.S. PATENT NO. 2759869, 2931777, 3028299

Manufactured for School Health Supply Company
300 Lombard Road, Addison, Illinois 60101

NET CONTENTS: Contains 52 - 2 cc packets

ACCEPTED

SEP 6 - 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10128-1