

WASP, HORNET AND YELLOW JACKET SPRAY

LONG SPRAY PATTERN UP TO 10 FEET
AIDS IN REACHING NESTS:

Active Ingredients:

*+(5-Benzyl-3-furyl)methyl 2, 2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	0.250% w/w
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.331%
Petroleum distillate	26.375%
<u>Inert Ingredients:</u>	73.010%
	100.000% w/w

*Cis/trans isomer ratio max. 30% (+) cis and min. 70% (+) trans +U. S. Patent No. 3,465,007.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if Swallowed

Avoid contamination of food and feedstuff.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Do not expose container to temperatures above 120°F. Do not throw container into fire or incinerator. Avoid breathing spray mist.

NET WEIGHT 1 LB. (16 OZ.)

DIRECTIONS FOR USE

For outdoor use. Can also be used in attics, warehouses and other storage areas where foods and feedstuffs are not exposed.

For Outdoor Use: Application should be made in late evening when hornets, wasps and yellow jackets are at rest. Hold can upright. Remove cap. Point valve opening away from face. With wind at back, aim at nests in trees, bushes, under leaves, chimneys, cracks or crevices. Contacting as many insects as possible.

For Indoor Use: Point valve opening away from face. Aim directly at nests of hornets, wasps and yellow jackets under rafters. Do not spray in areas where foods and feedstuffs are exposed or handled.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

EPA Reg. No. 10088-45-AA-
EPA Est. No. 10088-WI-1

Sold By

28-42