USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confimation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons). Treated food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

For heavy soil or organic matter, a precleaning step is recommended.

PHENOL COEFFICIENTS:

Guaranteed	Minimum			
S. aureus	42			
S. typhosa	27			

Rinse empty container thoroughly with water and discard. Do not reuse empty container.

NET CONTENTS

DISINFECTANT CLEANER #8

CLEANER DEODORIZER DISINFECTANT FUNGICIDE

Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30						
dimethyl benzyl amr				•	•	2.25%
n-Alkyl (68% C12, 32 ethylbenzyl ammoni						2 25%
Sodium carbonate .						
Essential Oils						
INERT INGREDIENT	ΓS:				1	92.20%

EPA Reg. No. 10088-51-AA-EPA Est. No. 10088-WI-1

DANGER

KEEP OUT OF REACH OF CHILDREN.

Corrosive, causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

See side panel for First Aid recommendations.

ATHEA LABORATORIES, INC. 4180 NORTH FIRST STREET MILWAUKEE, WIS. 53212 This is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection. It can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

This product when used on environmental inanimate hard surfaces at 2 oz. per gallon of water, is effective against the following.

Influenza A2 --Herpes Simplex ---

--- Flu virus
--- Cold Sores,

fever blisters

Adenovirus

--- Acute respiratory

type 2 Vaccinia disease

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all containinated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

ACCEPTED

601 23 1975

FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO. 1008 3 55/

USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confimation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons). Treated food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

For heavy soil or organic matter, a precleaning step is recommended.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	42
S. typhosa	27

Rinse empty container thoroughly with water and discard. Do not reuse empty container.

NET CONTENTS

DISINFECTANT CLEANER #7

CLEANER DEODORIZER DISINFECTANT FUNGICIDE

Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% dimethyl benzyl ammonium chlorides	-	
n-Alky! (68% C12, 32% C14) dimethyl		
ethylbenzyl ammonium chlorides		2.25%
Sodium carbonate		3.00%
Essential Oils	•	0.3 %
INERT INGREDIENTS:	,	92.20%

EPA Reg. No. 10088-52-AA-EPA Est. No. 10088-WI-1

DANGER

KEEP OUT OF REACH OF CHILDREN.

Corrosive, causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

See side panel for First Aid recommendations.

ATHEA LABORATORIES, INC. 4180 NORTH FIRST STREET MILWAUKEE, WIS. 53212

ACCEPTED

OCT 23 1975

FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO. 1008555

This is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HUSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection. It can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

. . .

This product when used on environmental inanimate hard surfaces at 2 oz. per gallon of water, is effective against the following.

Influenza A2 --- Flu virus Herpes Simplex --- Cold Sores,

fever blisters

Adenovirus --- Acute respiratory

type 2 disease Vaccinia --- Smallpox

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all containinated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.