# DISINFECTANT CLEANER #6

**CLEANER** **DISINFECTANT**
**DEODORIZER** **FUNGICIDE**

**Designed for Hospital and Institutional Use**

**ACTIVE INGREDIENTS:**

| | |
|---|---|
| n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides . . . | 2.25% |
| n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides . . . . | 2.25% |
| Sodium carbonate . . . . . | 3.00% |
| Essential Oils . . . . . | 0.3 % |
| **INERT INGREDIENTS:** . . . . . | 92.20% |

EPA Reg. No. 10088–53–AA–
EPA Est. No. 10088–WI–1

## DANGER

**KEEP OUT OF REACH OF CHILDREN.**

Corrosive, causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

See side panel for First Aid recommendations.

**Sold by –**

ATHEA LABORATORIES, INC.
4180 NORTH FIRST STREET
MILWAUKEE, WIS. 53212

**USE DIRECTIONS:**

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confimation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons). Treated food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

For heavy soil or organic matter, a precleaning step is recommended.

**PHENOL COEFFICIENTS:**

| Guaranteed | Minimum |
|---|---|
| S. aureus | 42 |
| S. typhosa | 27 |

Rinse empty container thoroughly with water and discard. Do not reuse empty container.

NET CONTENTS

This is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection. It can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

This product when used on environmental in–animate hard surfaces at 2 oz. per gallon of water, is effective against the following.

| | | |
|---|---|---|
| Influenza A2 | - - - | Flu virus |
| Herpes Simplex | - - - | Cold Sores, fever blisters |
| Adenovirus type 2 | - - - | Acute respiratory disease |
| Vaccinia | - - - | Smallpox |

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaiminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

ACCEPTED
NOV 19 1975
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTRATION NO. 10088-53