## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe spray mists. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Do not permit children or pets onto treated areas until sprays have dried.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphiblans. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters. Do not apply where run-off is likely to occur. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CHEMICAL AND PHYSICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistant with its label.

ORNAMENTAL LAWNS AND TURF: For control of ground pearls in lawns, apply this insecticide concentrate at the rate of 3 to 4 quarts per acre in 100 gallons of water. Make full coverage application to soil surface when ground pearl nymphs are in the pink, "crawler" or active stage, and immediately wash into the soil by additional watering. Do not apply this product through any type of irrigation system.

To control fleas, ticks, chiegers, leafhoppers and gress scale, citure 1 quart of insecticide concentrate with 100 gallons of were: Spray to thoroughly cover all deliege when insects of damage are first noticed. Sprinkle lightly to wash insecticide into the crown of the plants. Do not water for several days, then water to water insecticide off plants. Repeat if necessary.

For any maunits (มินัน 14% gifts of ansacticide concentrate to 100 gallons of water. Sprayeant hills thoroughly so that they are well sosked. For other small ants in flower beds, lawns, around trees, spray lightly in the infested areas. Repeat in 10-15 days if ants return.

# **EMULSIFIABLE INSECTICIDE**

## **CONCENTRATE MA**

EPA Reg. No. 10088-56-EPA Est. No. 10088-WI-1

## CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Remove contaminated clothing and launder before re-use. Wash thoroughly with soap and water. IF IN EYES: Flush eyes and under eyelids with plenty of water for at least 15 minutes. Call physician immediately. IF SWALLOWED: Do not induce veniting. Obtain immediate medical attention. NOTE TO PHYSICIAN: Malathion is a cholinosterase inhibitor. Atropine is antidotal. 2-PAM may be an effective adjunct to Atropine. See side panel for additional procautionary statements.

Manufactured by:
ATHEA LABORATORIES, INC.
P.O. Box 23926
Milwaukee, WI 53223

TO CONTROL ADULT MOSQUITOES, FLIES, GNATS, BITING MIDGES, MOTHS AND SMALL FLYING INSECTS in outdoor non-crop areas: Use this insecticide concentrate as an area spray or fog when diluted as follows:

WATER SOLUTION: 1 part concentrate to 28 parts water. OIL SOLUTION: 1 part insecticide concentrate to 28 parts of a mixture consisting of 4 parts kerosene to 1 part toluene. Avoid applying oil based aprays to valuable ornamental plants as injury may occur.

MOSQUITO LARVAE IN STANDING WATER (Intermittently flooded area, stagnant water, temporary rain pools): Apply 13 fluid ounces of this insecticide concentrate per acrasmixed in sufficient water or oil to obtain even coverage when applied by air or ground spraying equipment. Spray building foundations, shrubs, low trees, and lawn areas.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: if container is damaged, stop all leakage by repositioning container or by patching or repairing leaks. To clean up spills, wear protective gear to prevent contact with pesticide or vapors. Cover spill with absorbent material such as sand, sawdust or clay. Sweep up and place in closed, labeled container for disposal. Scrub contaminated area with bleach, then rinse with water. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by other procedures approved by state and local authorities.

68082729

NET CONTENTS:

ACCEPTED

OCT 17 1989

Under Rodenticide Act, ci remail (1111)
proticide registered to MAGG - 50

10088-56 1/1 12/31/89 FM 16

## BEST AVAILABLE COPY

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe spray mists. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Do not permit children or pets onto treated areas until sprays have dried.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, squatic invertebrates, and squatic life stages of amphiblens. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of squipment washwaters. Do not apply where run-off is likely to occur. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CHEMICAL AND PHYSICAL HAZARDS

Do not use, pour, spill or store near heet or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistant with its label.

ORNAMENTAL LAWNS AND TURF: for control of ground pearls in lawns, apply this insecticide concentrate at the rate of 3 to 4 quarts per acre in 100 gallons of water. Make full coverage application to soil surface when ground pearl nymphs are in the pink, "crawler" or active stage, and immediately wash into the soil by additional watering. Do not apply this populat through any type of krigation system.

To control fless ticks, chippers, leaff-oppers and gress scale, dius 1 quart of insecticide conceptrate vitth 100 gallons of water. Spray to thoroughly coverall dellage when insects of demage are first noticed. Spray to wash insecticide into the crown of the plants. Do not water for several days, then water-to-ment insecticide off plants, Bapeat if necessary.

For and mountie, distinctiffs plits diffisection of contrate to 100 gallons of welst. Sprayent hits thoroughly so that they are well scaked. For other small anta in flower beds, lawns, around trees, apray lightly in the infested areas. Repeat in 10-15 days if anta return.

# EMULSIFIABLE INSECTICIDE

## **CONCENTRATE MA**

Melathion: 0,0-diethyl phosphorodi: .ioate	
of diethyl mercaptosuccinate	
WERT INGREDIENTS	
TOTAL ,	00.0%

EPA Reg. No. 10088-56-EPA Est. No. 10088-WI-1

## CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Remove contaminated clothing and launder before re-use. Wash thoroughly with soap and water. IF IN EYES: Flush eyes and under eyelide with plenty of water for at least 1.5 minutes. Cell physician immediately. IF SWALLOWED: Do not induce vomiting. Obtain immediate medical attention. NOTE TO PHYSICIAN: Malethion is a choknesterase inhibitor. Atropine is entidotal. 2-PAM may be an effective adjunct to Atropine. See side penel for additional precautionary statements.

Manufactured by:
ATHEA LABORATORIES, INC.
P.O. Box 23926
Milwaukee, WI 53223

TO CONTROL ADUIT MOSQUITOES, FLIES, GNATS, BITING MIDGES, MOTHS AND SMALL FLYING INSECTS in outdoor non-crop areas: Use this insecticide concentrate as an area spray or fog when diluted as follows:

WATER SOLUTION: 1 part concentrate to 28 parts water. OIL SOLUTION: 1 part insecticide concentrate to 28 parts of a mixture consisting of 4 parts kerosene to 1 part toluene. Avoid applying oil based aprays to valuable ornamental plants as injury may occur.

MOSQUITO LARVAE IN STANDING WATER (Intermittently flooded area, stagnant water, temporary rain pools): Apply 13 fluid ounces of this insecticide concentrate per acre mixed in sufficient water or all to obtain even coverage when applied by air or ground epraying equipment. Spray building foundations, shrubs, low trees, and lewn areas.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposel. Open dumping is prohibited. STORAGE: If container is damaged, stop all leakage by

STORAGE: If container is damaged, stop all leakage by repositioning container or by patching or repairing leaks. To clean up splile, wear protective gear to prevent contact with pesticide or vapors. Cover splil with absorbent material such as sand, sawdust or clay. Sweep up and place in closed, labeled container for disposal. Scrub contaminated area with bleach, then rinse with water. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by other procedures approved by state and local authorities.

60082729

OCT 17 1989

Under the Rodenticide Act, at 1989

Under the Rodenti