

BEST AVAILABLE COPY

1871

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful or fatal if swallowed or absorbed through skin. Causes eye and skin irritation. Do not breathe vapors or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center immediately. Do not induce vomiting.

IF ON SKIN: Remove contaminated clothing and launder before re-use. Wash skin with soap and water.

IF IN EYES: Flush eyes and under eyelids with water for at least 15 minutes, and obtain medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply to areas where the roots of desirable plants will come into contact, as injury may result. Avoid spray drift to susceptible plants. Do not apply when conditions favor drift from area treated. Coarse sprays are less likely to drift. Vapors from this product may injure susceptible plants in the immediate vicinity. Avoid contamination of water used for domestic or irrigation purposes. Do not store near foodstuffs.

PHYSICAL AND CHEMICAL HAZARDS

Contains petroleum distillate. Do not store or use near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container tightly closed when not in use. If container is damaged or leaking, contain spill. Soak up spilled material with sand or inert absorbent, and place in closed, labeled container for proper disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If wastes cannot be disposed of by use according to label instructions, contact your state pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional office for guidance.

32000707

**NON-SELECTIVE
HERBICIDE #2**

ACTIVE INGREDIENTS:

Isooctyl ester of 2,4-dichlorophenoxy-acetic acid*	1.09%
Bromacil (5-Bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	97.93%
TOTAL	100.00%

Contains 0.63% 2,4-acid equivalent.

*Isomer specific by AOAC Method No. 6, D0 1-5.

EPA Reg. No. 10088-68

EPA Est. No. 10088-WI-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements.

Manufactured by:

ATHEA LABORATORIES, INC.
Milwaukee, WI 53223

ACCEPTED
NOV 19 1980
Under the Federal Insecticide
Fungicide and Herbicide Act,
this product has been found to
be in compliance with the
EPA Reg. No. 10088-68

This product is a liquid, non-selective, persistent, general herbicide designed for use where control of all vegetation is desired. It is recommended for non-crop areas such as fence rows, parking lots, around buildings, loading ramps, storage yards, tank farms, along pipelines, industrial plant sites and other similar areas where grasses and weeds interfere with drainage, create a fire hazard or cause unsightly appearance.

This liquid weed killer is composed of 5-bromo-3-sec-butyl-6-methyluracil (bromacil) and low volatile 2,4-D ester in a phytotoxic oil. The oil carrier combines the properties of low volatility with rapid penetration and translocation in the plant. The insolubility of this herbicide in water assures full effect regardless of rainfall after application or stage of growth at the time of application.

This liquid weed killer may be applied at any time of the year except when the ground is frozen. Best results are obtained after predominant weeds have emerged and developed to a point where they present a problem. The product should be applied as is. No agitation or dilution is necessary and any equipment from sprinkler can to large sprayer may be used. Equipment should be calibrated to assure application of the recommended amount of weed killer.

For annual weeds and grasses such as crabgrass, foxtail, barnyard grass, lambsquarter and pigweed use 1 to 2 gallons per 1,000 square feet (40 to 80 gallons per acre).

Perennial weeds and grasses such as smooth brome, quackgrass, Canada bluegrass, broomedge, aster, dandelion, goldenrod, plantain, wild carrot and purpletop use 2 to 4 gallons per 1,000 square feet (80 to 160 gallons per acre).

For other hard-to-kill perennial weeds and grasses such as Johnsongrass, saltgrass, Bermudagrass, horsetail, bouncing bet and bracken fern use 3 to 5 gallons per 1,000 square feet (120 to 200 gallons per acre).

NET CONTENTS:

89-XXXX

PM23