

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling. Avoid contact with skin, eye, or clothing. Avoid breathing spray mist.

**FIRSTAID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378. For information on product, usage, etc., call 1-800-743-6417.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposing of equipment washwaters or rinsate. Apply this product only as specified on this label.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep container tightly closed when not in use. If container is damaged or leaking, contain spill. Soak up spilled material with sand or other inert absorbent, and place in closed, labeled container for proper disposal. Keep from freezing.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, in incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. If these wastes cannot be disposed of by use according to label instructions or at an approved waste disposal facility, contact your state pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

# LAWN AND TURF WEED CONTROL

FOR THE SELECTIVE CONTROL OF DALLISGRASS, BARNYARDGRASS, SANDBUR, BAHIA GRASS, NUTSEDGE, CRABGRASS, CHICKWEED, JOHNSONGRASS, COCKLEBUR, RAGWEED, PUNCTURE VINE AND WOOD SORREL WITH LITTLE OR NO INJURY TO GOOD LAWN GRASSES ON LAWNS, ORNAMENTAL TURF, AND NON-CROP AREAS.

**ACTIVE INGREDIENTS:**

Monosodium Acid Methanearsonate..... 20.51%

**INERT INGREDIENTS:**..... 79.49%

**TOTAL**..... 100.00%

Contains 9.5% total arsenic (Elemental) in water soluble form.

Contains 2 lbs. MSMA per gallon.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See side panel for additional precautionary statements.

EPA REG. NO. 10088-74      EPA EST. NO. 10088-WI-1

**Manufactured by:**

**Athea Laboratories, Inc.**  
P.O. Box 240014  
Milwaukee, WI 53224

**ACCEPTED**

SEP 13 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10088-74

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its label.

This product is a completely water soluble, selective post-emergent weed control, particularly for grassy weeds. Best results are obtained on contact with young actively growing weeds at air temperatures about 70°F.

**Lawns and ornamental turf:** For control of Bahiagrass, Barnyardgrass, Chickweed, Cocklebur, Crabgrass, Dallisgrass, Nutsedge, Puncture Vine, Ragweed, Sandbur, and Wood Sorrel, with little or no injury to good lawn grasses, mow lawns 1 to 1-1/2 inches high before treatment. Mix 3.75 - 4 quarts (1.875 - 2 lbs. MSMA), plus manufacturer's recommended rate of a suitable surfactant, in 40 - 100 gallons of water to treat one acre. DO NOT apply more than 4 quarts (2 lbs. MSMA) of this product per acre per application. For small areas, mix 4 fluid ounces (0.0625 lbs. MSMA), plus manufacturer's recommended rate of a suitable surfactant, in 5 gallons of water and apply to 1,000 square feet. DO NOT apply more than 4 fluid ounces (0.0625 lbs. MSMA) of this product per 1,000 square feet per application. Spray thoroughly to wet all undesirable plants. Two or more repeat applications at 14-day intervals may be necessary. Do not make more than three (3) applications per year. On new lawns, do not treat until after 3 mowings. Good grasses may be temporarily discolored. Zoysia, bluegrass and Bermuda are quite tolerant. Do not apply with hose end applicators. Do not apply this product through any type of irrigation system. DO NOT apply to St. Augustinegrass, Carpetgrass, Centipedegrass, or to Dichondra lawns. DO NOT reseed until 2 weeks after last application.

**Non-crop:** For control of Johnsongrass, Nutsedge and certain other weeds on drainage ditch banks, rights-of-way, fence rows, storage yards, and similar non-crop areas, mix 1 - 2 gallons (2 - 4 lbs. MSMA), plus manufacturer's recommended rate of a suitable surfactant, in 40 - 100 gallons of water to treat one acre. DO NOT apply more than 2 gallons (4 lbs. MSMA) of this product per acre per application. For small areas, mix 3 - 6 fluid ounces (0.0469 - 0.0938 lbs. MSMA), plus manufacturer's recommended rate of a suitable surfactant, in 5 gallons of water and apply to 1,000 square feet. DO NOT apply more than 6 fluid ounces (0.0938 lbs. MSMA) of this product per 1,000 square feet per application. Spray unwanted vegetation thoroughly to just short of runoff. If regrowth occurs, reapply as required. Do not contaminate water used for domestic consumption, or by animals, wildlife or aquatic life, or for irrigation purposes. DO NOT make more than five (5) applications per year. Use only as a spot treatment in Florida. 0458.012505

**NET CONTENTS:**

<input type="checkbox"/> 1	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 20
<input type="checkbox"/> 30	<input type="checkbox"/> 35	<input type="checkbox"/> 55	Gallons

10088-74  
9/13/2005  
Page 181